Ethel Gorrell

styles by Beehive

Instructions
pages 14 and 15

PRICE
35¢
SERIES NO. 59



We are delighted to present this charming new selection of attractive and fascinating designs by Beehive. We feel they enhance the beauty and softness of fine wools used in casual styles to fit usefully into day or evening hours.

The intriguing use of metallic thread and pearl beads emphasizes the loveliness of the new Beehive Noplana.

We hope you will agree that here are dresses, blouses and jackets you will enjoy knitting and long will treasure.

PATONS & BALDWINS LIMITED

TORONTO 10

Designed with emphasis on flattering simplicity

A CHOICE OF SIX SIZES

See pages 2 and 3

The Beauty of Wool

emphasized with pearl beads and
latticed yoke of metallic thread *(Shown on page 1)*

TWO-PIECE DRESS ***with short or long sleeves. Instructions for 38-42—see page 3.***

MATERIALS:
BEEHIVE NOPLANA or MISS CANADA CROCHET-KNITTING WOOL. 19 ozs. (**Blouse**—8 ozs. **Skirt**—11 ozs.). ***(34—9 and 11 ozs.)*** ***(36—9 and 12 ozs.)***. 2 ozs. extra for blouse with long sleeves. ***(all sizes)***. Two No. 11 and two No. 9 Queen Bee Knitting Needles. One No. 11 Circular Knitting Needle. One No. 4 Steel Crochet Hook (American Gauge). One spool of Metallic Thread. One string of Embroidery Pearls, size No. 5. One spool matching Sewing Thread for Noplana dress. Length of Elastic. One Hook and Eye Fastener. 1¼ yds. Grosgrain Ribbon 1 inch wide. One Buckle.

MEASUREMENTS: **Bust**	**32 ins.**	**34 ins.**	**36 ins.**
Blouse			
Length from top of shoulder	21½ "	21½ "	22 "
Length of short sleeve underarm seam	5 "	5 "	5 "
Length of long sleeve underarm seam	17 "	17 "	17 "
Skirt—Waist	27 "	28 "	30 "
Hips	35 "	37 "	39 "
Length	30 "	30 "	30 "
Width all round at hem	50 "	52 "	54 "

Tension: 8 sts. and 11 rows = 1 inch with No. 11 needles.

Check tension—see page 33.

For Washing Instructions—see page 33.

The instructions are written for size 32. Sizes 34 and 36 are written in brackets thus:—( ).

SKIRT—With circular needle cast on 400 sts. ***(34—416 sts.)*** ***(36—432 sts.)***.
Join, being careful not to twist sts. Tie white thread to mark beginning of round.
Knit 4 ins. even in Stocking st.
1st decreasing round: *K23. K2tog. ***(34—*** *K24. K2tog.)* ***(36—*** *K25. K2tog.)*. Repeat from * to end of round. Knit 3 ins. even.
2nd decreasing round: *K22. K2tog. ***(34—*** *K23. K2tog.)* ***(36—*** *K24. K2tog.)*. Repeat from * to end of round. Knit 3 ins. even.
3rd decreasing round: *K21. K2tog. ***(34—*** *K22. K2tog.)* ***(36—*** *K23. K2tog.)*. Repeat from * to end of round.
Continue decreasing in this manner, that is having 1. st. less between decreasings, working 3 ins. even 3 times, 2 ins. even twice. Skirt now measures 23 ins. from beginning. (Hipline). 272 sts. on needle. ***(34—288 sts.)*** ***(36—304 sts.)***.
Continue working 2 ins. even twice, 1 inch even twice. 208 sts. on needle. ***(34—224 sts.)*** ***(36—240 sts.)***.
Continue even until work measures 30 ins. from beginning or desired length. ***(all sizes)***. Cast off.

BLOUSE—PEPLUM: With circular needle cast on 256 sts. ***(34—272 sts.)*** ***(36—288 sts.)***.
Join, being careful not to twist sts. Tie white thread to mark beginning of round.
Knit 2 ins. even in Stocking st.
1st decreasing round: *K14. K2tog. ***(34—*** *K15. K2tog.)* ***(36—*** *K16. K2tog.)*. Repeat from * to end of round. Knit 1½ ins. even.
2nd decreasing round: *K13. K2tog. ***(34—*** *K14. K2tog.)* ***(36—*** *K15. K2tog.)*. Repeat from * to end of round. Knit 1½ ins. even.
3rd decreasing round: *K12. K2tog. ***(34—*** *K13. K2tog.)* ***(36—*** *K14. K2tog.)*. Repeat from * to end of round. 208 sts. on needle. ***(34—224 sts.)*** ***(36—240 sts.)***.
Continue even until work measures 6 ins. from beginning. ***(all sizes)***.
Next row: With a No. 11 needle K104. ***(34—K112)*** ***(36—K120)***. Turn. Leave remaining sts. on circular needle.
Next row: K1. Purl to last st. K1. (Waistline).

BACK: Working on these 104 sts. ***(34—112 sts.)*** ***(36—120 sts.)*** with two No. 11 needles, continue in Stocking st. inc. 1. st. each end of needle on 7th and every following 8th row to 120 sts. on needle. ***(34—128 sts.)*** ***(36—136 sts.)***.
Continue even in Stocking st. until work measures 8½ ins. from Waistline ending with purl row. ***(all sizes)***.

To shape armholes: Cast off 6 sts. ***(34—7 sts.)*** ***(36—8 sts.)*** beginning next 2 rows, then dec. 1. st. each end of needle on next and every alternate row to 96 sts. on needle. ***(34—100 sts.)*** ***(36—104 sts.)***.
Continue even in Stocking st. until armhole from first shaping measures 7 ins. ***(34—7 ins.)*** ***(36—7½ ins.)*** ending with purl row.

To shape shoulders: Cast off 10 sts. beginning next 6 rows.
(34—Cast off 11 sts. beginning next 4 rows, 10 sts. beginning following 2 rows)
(36—Cast off 12 sts. beginning next 2 rows, 11 sts. beginning following 4 rows).
Leave remaining sts. on spare needle.

FRONT: With right side of work facing, join wool to remaining 104 sts. ***(34—112 sts.)*** ***(36—120 sts.)*** and with two No. 11 needles continue to correspond to Back to 120 sts. on needle. ***(34—128 sts.)*** ***(36—136 sts.)*** ending with **knit** row.

To make opening for Vestee: K1. P51. ***(34—K1. P55)*** ***(36—K1. P59)***. Cast off 16 sts. purlways. ***(all sizes)***. Purl to last st. K1.
Working on last 52 sts. ***(34—56 sts.)*** ***(36—60 sts.)***, dec. 1. st. at Front edge **every** row to 47 sts. on needle. ***(34—51 sts.)*** ***(36—55 sts.)*** then every alternate row to 44 sts. on needle. ***(34—48 sts.)*** ***(36—52 sts.)***.
Continue even until work measures 8½ ins. from Waistline ending with purl row. ***(all sizes)***.

To shape armhole: At armhole edge cast off 6 sts. ***(34—7 sts.)*** ***(36—8 sts.)*** once, then dec. 1. st. every alternate row to 32 sts. on needle. ***(34—34 sts.)*** ***(36—36 sts.)***.
Continue even until armhole from first shaping measures 5½ ins. ***(34—5½ ins.)*** ***(36—6 ins.)***.
Dec. 1. st. at Front edge on next row. Tie a white thread at Front edge to mark neck. Work 1 row even then dec. 1. st. more at neck edge on following row.
Continue even until armhole from first shaping measures 7 ins. ***(34—7 ins.)*** ***(36—7½ ins.)***.

To shape shoulder: At armhole edge cast off 10 sts. every alternate row 3 times.
(34—Cast off 11 sts. every alternate row twice, 10 sts. once)
(36—Cast off 12 sts. every alternate row once, 11 sts. twice).

With right side of work facing join wool to remaining 52 sts. ***(34—56 sts.)*** ***(36—60 sts.)*** and work other side to correspond being careful to have all shapings for opposite side.

SHORT SLEEVES: (**Sizes 32 and 34 are written exactly the same**). Cast on 76 sts. ***(36—84 sts.)***.
Work 1 inch even in Stocking st. ending with purl row.
Continue in Stocking st. inc. 1. st. each end of needle on next and every following 4th row to 90 sts. on needle. ***(36—98 sts.)***.
Continue even until sleeve measures 5 ins. from beginning ending with purl row. ***(all sizes)***.

To shape cap: *Cast off 2 sts. beginning next 2 rows, then 1. st. beginning following 2 rows.* Repeat from * to * to 24 sts. on needle. ***(36—26 sts.)***. Cast off remaining sts.

LONG SLEEVES: (**Sizes 32 and 34 are written exactly the same**). Cast on 52 sts. ***(36—60 sts.)***.
Work 2½ ins. even in Stocking st. ending with purl row.
Continue in Stocking st. inc. 1. st. each end of needle on next and every following 8th row to 90 sts. on needle. ***(36—98 sts.)***.
Continue even until sleeve measures 17 ins. from beginning or desired length, ending with purl row. ***(all sizes)***.
Shape cap as given for Short Sleeves.

(Continued on page 7)

The Beauty of Wool

emphasized with pearl beads and latticed yoke of metallic thread *(Shown on page 1)*

TWO-PIECE DRESS ***with short or long sleeves. Instructions for 32-36—see page 2.***

MATERIALS:
BEEHIVE NOPLANA or MISS CANADA CROCHET-KNITTING WOOL. 22 ozs. (**Blouse**—10 ozs. **Skirt**—12 ozs.). (*40—10 and 13 ozs.*) (*42—11 and 13 ozs.*). 2 ozs. extra for blouse with long sleeves. (*all sizes*). For Knitting Needles and Accessories, see sizes 32-36, page 2.

MEASUREMENTS: Bust	38 ins.	40 ins.	42 ins.
Blouse			
Length from top of shoulder	22 "	22½ "	22½ "
Length of short sleeve underarm seam	5 "	5 "	5 "
Length of long sleeve underarm seam	17 "	17 "	17 "
Skirt—Waist	32 "	34 "	36 "
Hips	41 "	43 "	45 "
Length	30 "	30 "	30 "
Width all round at hem	56 "	58 "	60 "

Tension: 8 sts. and 11 rows = 1 inch with No. 11 needles.

Check tension—see page 33.

For Washing Instructions—see page 33.

The instructions are written for size 38. Sizes 40 and 42 are written in brackets thus:—( ).

SKIRT—With circular needle cast on 448 sts. (*40—464 sts.*) (*42—480 sts.*).
Join, being careful not to twist sts. Tie white thread to mark beginning of round.
Knit 4 ins. even in Stocking st.
1st decreasing round: ★K26. K2tog. (*40—★K27. K2tog.*) (*42—★K28. K2tog.*). Repeat from ★ to end of round. Knit 3 ins. even.
2nd decreasing round: ★K25. K2tog. (*40—★K26. K2tog.*) (*42—★K27. K2tog.*). Repeat from ★ to end of round. Knit 3 ins. even.
3rd decreasing round: ★K24. K2tog. (*40—★K25. K2tog.*) (*42—★K26. K2tog.*). Repeat from ★ to end of round.
Continue decreasing in this manner, that is having 1. st. less between decreasings, working 3 ins. even 3 times, 2 ins. even twice. Skirt now measures 23 ins. from beginning. (Hipline). 320 sts. on needle. (*40—336 sts.*) (*42—352 sts.*).
Continue working 2 ins. even twice, 1 inch even twice. 256 sts. on needle. (*40—272 sts.*) (*42—288 sts.*).
Continue even until work measures 30 ins. from beginning or desired length. (*all sizes*). Cast off.

BLOUSE—PEPLUM: With circular needle cast on 304 sts. (*40—320 sts.*) (*42—336 sts.*).
Join, being careful not to twist sts. Tie white thread to mark beginning of round.
Knit 2 ins. even in Stocking st.
1st decreasing round: ★K17. K2tog. (*40—★K18. K2tog.*) (*42—★K19. K2tog.*). Repeat from ★ to end of round. Knit 1½ ins. even.
2nd decreasing round: ★K16. K2tog. (*40—★K17. K2tog.*) (*42—★K18. K2tog.*). Repeat from ★ to end of round. Knit 1½ ins. even.
3rd decreasing round: ★K15. K2tog. (*40—★K16. K2tog.*) (*42—★K17. K2tog.*). Repeat from ★ to end of round. 256 sts. on needle. (*40—272 sts.*) (*42—288 sts.*).
Continue even until work measures 6 ins. from beginning. (*all sizes*).
Next row: With a No. 11 needle K128. (*40—K136*) (*42—K144*). Turn. Leave remaining sts. on circular needle.
Next row: K1. Purl to last st. K1. (Waistline).

BACK: Working on these 128 sts. (*40—136 sts.*) (*42—144 sts.*) with two No. 11 needles, continue in Stocking st. inc. 1. st. each end of needle on 7th and every following 8th row to 144 sts. on needle. (*40—152 sts.*) (*42—160 sts.*).
Continue even in Stocking st. until work measures 8½ ins. from Waistline ending with purl row. (*all sizes*).

To shape armholes: Cast off 4 sts. (*40—5 sts.*) (*42—6 sts.*) beginning next 4 rows, then dec. 1. st. each end of needle on next and every alternate row to 106 sts. on needle. (*40—108 sts.*) (*42—110 sts.*).
Continue even in Stocking st. until armhole from first shaping measures 7½ ins. (*40—8 ins.*) (*42—8 ins.*) ending with purl row.

To shape shoulders: Cast off 12 sts. beginning next 2 rows, 11 sts. beginning following 4 rows.
(*40—Cast off 12 sts. beginning next 4 rows, 11 sts. beginning following 2 rows*) (*42 as 40*).
Leave remaining sts. on spare needle.

FRONT: With right side of work facing, join wool to remaining 128 sts. (*40—136 sts.*) (*42—144 sts.*) and with two No. 11 needles continue to correspond to Back to 144 sts. on needle. (*40—152 sts.*) (*42—160 sts.*).
Work ½ inch even, ending with **knit** row.

To make opening for Vestee: K1. P62. (*40—K1. P66*) (*42—K1. P70*). Cast off 18 sts. purlways. (*all sizes*). Purl to last st. K1.
Working on last 63 sts. (*40—67 sts.*) (*42—71 sts.*), dec. 1. st. at Front edge **every** row to 58 sts. on needle. (*40—62 sts.*) (*42—66 sts.*) then every alternate row to 55 sts. on needle. (*40—59 sts.*) (*42—63 sts.*).
Continue even until work measures 9 ins from Waistline ending with purl row. (*all sizes*).

To shape armhole: At armhole edge cast off 4 sts. (*40—5 sts.*) (*42—6 sts.*) every alternate row twice, then dec. 1. st. every alternate row to 36 sts. on needle. (*40—37 sts.*) (*42—37 sts.*).
Continue even until armhole from first shaping measures 6 ins. (*40—6½ ins.*) (*42—6½ ins.*).
Dec. 1. st. at Front edge on next row. Tie a white thread at Front edge to mark neck. Work 1 row even then dec. 1. st. more at neck edge on following row.
Continue even until armhole from first shaping measures 7½ ins. (*40—8 ins.*) (*42—8 ins.*).

To shape shoulder: Cast off 12 sts. every alternate row once, 11 sts. twice.
(*40—Cast off 12 sts. every alternate row twice, 11 sts. once*) (*42 as 40*).

With right side of work facing join wool to remaining 63 sts. (*40—67 sts.*) (*42—71 sts.*) and work other side to correspond being careful to have all shapings for opposite side.

SHORT SLEEVES: (**Sizes 40 and 42 are written exactly the same**). Cast on 84 sts. (*40—92 sts.*).
Work 1 inch even in Stocking st. ending with purl row.
Continue in Stocking st. inc. 1. st. each end of needle on next and every following 4th row to 98 sts. on needle. (*40—106 sts.*).
Continue even until sleeve measures 5 ins. from beginning ending with purl row. (*all sizes*).

To shape cap: ★Cast off 2 sts. beginning next 2 rows, then 1. st. beginning following 2 rows.★ Repeat from ★ to ★ to 26 sts. on needle. (*40—28 sts.*). Cast off remaining sts.

LONG SLEEVES: (**Sizes 40 and 42 are written exactly the same**). Cast on 62 sts. (*40—66 sts.*).
Work 1½ ins. even in Stocking st. ending with purl row.
Continue in Stocking st. inc. 1. st. each end of needle on next and every following 8th row to 98 sts. on needle. (*40—106 sts.*).
Continue even until sleeve measures 17 ins. from beginning or desired length, ending with purl row. (*all sizes*).
Shape cap as given for Short Sleeves.

BELT: Cast on 14 sts. (*all sizes*). Continue even in Stocking st. for 37 ins. (*40—39 ins.*) (*42—41 ins.*). Cast off.

(Continued on page 7)

The Daytime Blouse

with lacey and moss stitch panels, outlined with cables

MATERIALS:
3 ply BEEHIVE FINGERING, PATONISED. 7 ozs. *(40—8 ozs.)* *(42—8 ozs.)*. 1 oz. extra for Long Sleeves *(all sizes)*. Two No. 12 and two No. 10 Queen Bee Knitting Needles. One 5-inch "Zipper" Fastener. One spare needle with points at both ends.

MEASUREMENTS: Bust	38 ins.	40 ins.	42 ins.
Length from top of shoulder	20½ "	21 "	21 "
Length of long sleeve underarm seam	17 "	17 "	17 "
Length of short sleeve underarm seam	5 "	5 "	5 "

Tension: 8 sts. and 10 rows = 1 inch with No. 10 needles.

Check tension—see page 33.

For Washing Instructions—see page 33.

The instructions are written for size 38. Sizes 40 and 42 are written in brackets thus:—( ).

TO MAKE THE "TWIST": Slip next 2 sts. onto the spare needle, letting this needle fall to back of work. Knit next 2 sts. Bring the 2 sts. forward and knit them.

FRONT: With No. 12 needles cast on 124 sts. *(40—132 sts.)* *(42—140 sts.)*.
Work 4 ins. ribbing (K1. P1) inc. 1. st. at end of last row. Change to No. 10 needles and proceed:—
1st row: K8. *(40—K12)* *(42—K16)*. *P1. K4. P1. (K1. P1) 4 times. K4. P1. K1. Wl.fwd. Sl.1. K1. p.s.s.o. K5. K2tog. Wl.fwd. K1. Repeat from * twice. P1. K4. P1. (K1. P1) 4 times K4. P1. Knit to end of row.
2nd and alternate rows: K1. P7. *(40—K1. P11)* *(42—K1. P15)*. *K1. P4. K2. (P1. K1) 3 times. K1. P4. K1. P11. Repeat from * twice. K1. P4. K2. (P1. K1) 3 times. K1. P4. K1. Purl to last st. K1.
3rd row: K8. *(40—K12)* *(42—K16)*. *P1. Twist. P1. (K1. P1) 4 times. Twist. P1. K2. Wl.fwd. Sl.1. K1. p.s.s.o. K3. K2tog. Wl.fwd. K2. Repeat from * twice. P1. Twist. P1. (K1. P1) 4 times. Twist. P1. Knit to end of row.
5th row: K8. *(40—K12)* *(42—K16)*. *P1. K4. P1. (K1. P1) 4 times. K4. P1. K3. Wl.fwd. Sl.1. K1. p.s.s.o. K1. K2tog. Wl.fwd. K3. Repeat from * twice. P1. K4. P1. (K1. P1) 4 times. K4. P1. Knit to end of row.
7th row: K8. *(40—K12)* *(42—K16)*. *P1. Twist. P1. (K1. P1) 4 times. Twist. P1. K4. Wl.fwd. Sl.1. K2tog. p.s.s.o. Wl. fwd. K4. Repeat from * twice. P1. Twist. P1. (K1. P1) 4 times. Twist. P1. Knit to end of row.
8th row: As 2nd row. These 8 rows complete one pattern.
Keeping continuity of pattern inc. 1. st. each end of needle on next and every following 8th row to 145 sts. on needle. *(40—153 sts.)* *(42—161 sts.)*, working increased sts. in Stocking st.
Continue even in pattern until work from beginning measures 13½ ins. *(all sizes)* ending with purl row.

To shape armholes: Keeping continuity of pattern cast off 4 sts. *(40—5 sts.)* *(42—6 sts.)* beginning next 4 rows, then dec. 1. st. each end of needle on next and every alternate row to 109 sts. on needle. *(all sizes)*.
Being sure to knit the 1st. and last st. in **every** row, continue even in pattern until armhole from first shaping measures 6 ins. *(all sizes)*.

To shape neck: Work 53 sts. in pattern. Cast off 3 sts. Work in pattern to end of row.
Working on last 53 sts. work 1 row even in pattern.
Keeping continuity of pattern, at neck edge cast off 5 sts. on next and every alternate row to 33 sts. on needle.
Continue even in pattern until armhole from first shaping measures 7½ ins. *(40—8 ins.)* *(42—8 ins.)*.

To shape shoulder: Keeping continuity of pattern, at armhole edge cast off 11 sts. every alternate row 3 times.

Join wool at neck edge to remaining 53 sts. Work 2 rows even in pattern, then continue to correspond to other side.

BACK: With No. 12 needles cast on 124 sts. *(40—132 sts.)* *(42—140 sts.)*.
Work 4 ins. ribbing (K1. P1). Change to No. 10 needles.
Continue in Stocking st. inc. 1. st. each end of needle on 9th and every following 8th row to 144 sts. on needle. *(40—152 sts.)* *(42—160 sts.)*.
Continue even in Stocking st. until work from beginning measures 13 ins. *(all sizes)* ending with purl row.

To shape armholes: Cast off 4 sts. *(40—5 sts.)* *(42—6 sts.)* beginning next 4 rows then dec. 1. st. each end of needle on next and every alternate row to 106 sts. on needle. *(40—108 sts.)* *(42—110 sts.)*.
Continue even in Stocking st. until armhole from first shaping measures 3 ins. *(40—3½ ins.)* *(42—3½ ins.)* ending with purl row.

To make Back opening: K53. *(40—K54)* *(42—K55)*. Turn. Leave remaining sts. on spare needle.
Working on these 53 sts. *(40—54 sts.)* *(42—55 sts.)*, continue even in Stocking st. until armhole from first shaping measures 7½ ins. *(40—8 ins.)* *(42—8 ins.)*.

To shape shoulder: At armhole edge cast off 11 sts. every alternate row once, 10 sts. twice.
(40—Cast off 11 sts. every alternate row twice, 10 sts. once)
(42—Cast off 11 sts. every alternate row 3 times).
Cast off remaining sts. *(all sizes)*.

With right side of work facing, join wool to remaining 53 sts. *(40—54 sts.)* *(42—55 sts.)* and work other side to correspond.

LONG SLEEVES: **(Sizes 40 and 42 are written exactly the same)**. With No. 12 needles cast on 64 sts. *(40—72 sts.)*. Work 3 ins. ribbing (K1. P1).
Change to No. 10 needles and continue in Stocking st. inc. 1. st. each end of needle on 9th and every following 8th row to 98 sts. on needle. *(40—106 sts.)*.
Continue even until sleeve measures 17 ins. from beginning, or desired length. *(all sizes)*.

To shape cap: *Cast off 2 sts. beginning next 2 rows, then 1. st. beginning following 2 rows.* Repeat from * to * to 26 sts. on needle. *(40—28 sts.)*.
Cast off remaining sts.

SHORT SLEEVES: **(Sizes 40 and 42 are written exactly the same)**. With No. 12 needles cast on 84 sts. *(40—92 sts.)*.
Work 1 inch ribbing (K1. P1).
Change to No. 10 needles and continue in Stocking st. inc. 1. st. each end of needle on 5th and every following 4th row to 98 sts. on needle. *(40—106 sts.)*.
Continue even until sleeve measures 5 ins. from beginning. *(all sizes)*.
Shape cap as given for Long Sleeves.

TO MAKE UP: Press pieces carefully. Sew sleeve and shoulder seams.
For neck edging, with right side of work facing and No. 12 needles pick up and knit 97 sts. *(40—105 sts.)* *(42—105 sts.)* around neck. Purl 1 row. Knit 1 row.
Next row: (eyelets to form picot). P1. *w.r.n. P2tog. Repeat from * to end of row. Knit 1 row. Purl 1 row. Cast off **loosely**. Turn under to wrong side and sew the cast-off edge along the picked-up row.
Sew in "Zipper" fastener. Sew side seams easing in the extra length allowed for front 2 ins. below armholes. Sew in sleeves.

The Daytime Blouse

with long or
short sleeves

(See opposite)

The Surplice Blouse

with slimming
ribbed waistband

(See page 6)

The Surplice Blouse

enhanced with fair isle borders in metallic thread

(Shown on page 5)

MATERIALS:

3 ply BEEHIVE FINGERING, PATONISED. 9 ozs. Main Colour (B). *(44—10 ozs.)* *(46—10 ozs.)*. ½ oz. Contrasting Colour (A) or one spool of Metallic Thread. Two No. 12 and two No. 10 Queen Bee Knitting Needles.

MEASUREMENTS:	Bust	42 ins.	44 ins.	46 ins.
Length from top of shoulder		21 "	21½ "	21½ "
Length of sleeve underarm seam		17 "	17 "	17 "

Tension: 8 sts. and 10 rows = 1 inch with No. 10 needles.

Check tension—see page 33.

For Washing Instructions—see page 33.

The instructions are written for size 42. Sizes 44 and 46 are written in brackets thus:—( ).

NOTE—When working in Fair Isle, be sure to weave the wools on the wrong side of the work, see page 32. DO NOT PULL LOOPS ACROSS.

TO MAKE THE "TWIST": Knit into the front of the 3rd st. from point of left hand needle but do not slip off needle. Knit the 1st. st. then the 2nd st. and slip all 3 sts. off needle together.

BACK: With (B) wool and No. 10 needles cast on 125 sts. *(44—135 sts.)* *(46—145 sts.)*.
1st row: K4. *P2. K3. Repeat from * to last st. K1.
2nd row: K1. P3. *K2. P3. Repeat from * to last st. K1.
3rd row: K1. Twist. *P2. Twist. Repeat from * to last st. K1.
4th row: As 2nd row. These 4 rows complete the Twisted Rib pattern.
Repeat these 4 rows until work measures 2½ ins. from beginning. Change to No. 12 needles and continue even in pattern until work measures 4 ins. from beginning ending with 2nd or 4th pattern rows. Change to No. 10 needles. Proceed:—
Next row: K7. *Inc. 1. st. in next st. K9. Repeat from * to last 8 sts. Inc. 1. st. in next st. K7. 137 sts. on needle.
*(44—K8. *Inc. 1. st. in next st. K12. Repeat from * to last 10 sts. Inc. 1. st. in next st. K9. 145 sts. on needle)*
*(46—K9. *Inc. 1. st. in next st. K17. Repeat from * to last 10 sts. Inc. 1. st. in next st. K9. 153 sts. on needle)*.

Next row: K1. Purl to last st. K1.
Continue in Stocking st. inc. 1. st. each end of needle on 7th and every following 8th row to 157 sts. on needle. *(44—165 sts.)* *(46—173 sts.)*.
Continue even until work measures 13 ins. from beginning, or desired length, ending with purl row. *(all sizes)*.

To shape armholes: Cast off 4 sts. *(44—5 sts.)* *(46—6 sts.)* beginning next 4 rows, then dec. 1. st. each end of needle on next and every following row to 111 sts. on needle. *(44—113 sts.)* *(46—115 sts.)*.
Continue even until armhole from first shaping measures 8 ins. *(44—8½ ins.)* *(46—8½ ins.)*.

To shape shoulders: Cast off 13 sts. beginning next 4 rows, then 12 sts. beginning following 2 rows. *(all sizes)*. Cast off remaining sts.

FRONT: **To make ribbed band:** With (B) wool and No. 10 needles cast on 125 sts. *(44—135 sts.)* *(46—145 sts.)* and work exactly as given for Back until work measures 4 ins. from beginning ending with 2nd or 4th pattern rows.
Continuing with No. 12 needles, proceed:—
Keeping continuity of pattern cast off 3 sts. beginning next 2 rows, then 2 sts. beginning following 2 rows. Repeat from * to * to 15 sts. on needle. *(all sizes)*. Cast off remaining sts.

To make Left Front: With (B) wool and No. 10 needles cast on 3 sts. *(all sizes)*.
1st row: Knit to last st. Inc. 1. st. in last st. Cast on 2 sts.
2nd row: K1. Purl to last st. K1.
3rd row: Knit to last st. Inc. 1. st. in last st. Cast on 3 sts.
4th row: K1. Purl to last st. K1. Repeat these 4 rows once.
****9th row:** (side edge). Inc. 1. st. in 1st. st. Knit to last st. Inc. 1. st. in last st. Cast on 2 sts. (Front edge). Repeat 2nd, 3rd and 4th rows once, then 1st. to 4th rows inclusive.**
Repeat from ** to ** to 82 sts. on needle. *(44—89 sts.)* *(46—97 sts.)* ending with knit row, and omitting the cast-on sts. of last row.
Work 5 rows *(44—1 row)* *(46—5 rows)* even ending with purl row.
Next row: (side edge). Inc. 1. st. in 1st. st. Knit to last 2 sts. K2tog. (Front edge).
Work 7 rows even. Repeat these last 8 rows until 10 increases have been made at side of work, counted from the beginning. 82 sts. on needle. *(44—89 sts.)* *(46—97 sts.)*.
Keeping side edge even, continue dec. 1. st. at Front edge every 8th row to 81 sts. on needle. *(44—88 sts.)* *(46—96 sts.)*.
Work 7 rows even ending with purl row. Side edge now measures approx. 9½ ins. from beginning. *(all sizes)*.

To shape armhole: 1st row: Cast off 4 sts. *(44—5 sts.)* *(46—6 sts.)*. Knit to last 2 sts. K2tog.
2nd row: K1. Purl to last st. K1.
3rd row: Cast off 4 sts. *(44—5 sts.)* *(46—6 sts.)*. Knit to end of row.
Continue in Stocking st. dec. 1. st. at armhole edge every alternate row, at same time dec. 1. st. at Front edge on 6th and every following 8th row to 57 sts. on needle. *(44—60 sts.)* *(46—61 sts.)*.
Keeping armhole edge even, continue dec. 1. st. at Front edge every 8th row as before to 52 sts. on needle. *(44—54 sts.)* *(46—56 sts.)*.
Continue even until armhole from first shaping measures 8 ins. *(44—8½ ins.)* *(46—8½ ins.)* ending with purl row.

To make tucks and shape shoulder: 1st row: K13. Cast off next 7 sts. *(44—8 sts.)* *(46—9 sts.)*. Counting the st. on right hand needle after casting off as 1. st. K13. Cast off next 7 sts. *(44—8 sts.)* *(46—9 sts.)*. Knit to end of row. 38 sts. on needle. *(all sizes)*.
2nd row: K1. Purl to last st. K1.
At armhole edge cast off 13 sts. every alternate row twice, then 12 sts. once.

To make Right Front: Substituting purl rows for knit rows and knit rows for purl rows to reverse shapings, work exactly as given for Left Front.

To make border for Left Front: With (B) wool and No. 10 needles cast on 17 sts. Join (A).
1st row: Working in Fair Isle, see page 32, being careful to read **knit** rows from **right** to left, work 1st. row of Chart, see page 7. On last 5 sts. with (B), P1. K4. (Front edge).
2nd row: With (B), K1. P3. K1. Working in Fair Isle, being careful to read **purl** rows from **left** to right, work 2nd row of Chart.
3rd row: Work 3rd row of Chart. With (B), P1. Twist. K1.
4th row: With (B), K1. P3. K1. Work 4th row of Chart.
Keeping the 5 sts. at left edge of work in pattern as given in the preceding 4 rows, and beginning with 5th row of Chart, continue to end of Chart. Continue working from Chart as before, until piece is long enough to go along Front edge of Left Front and across one half of back of neck. Cast off.

To make border for Right Front: With (B) wool and No. 10 needles cast on 17 sts.
1st row: K4. P1. Join (A), work 1st. row of Chart on remaining 12 sts.
2nd row: Work 2nd row of Chart. With (B), K1. P3. K1.
3rd row: With (B), K1. Twist. P1. Work 3rd row of Chart.
4th row: Work 4th row of Chart. With (B), K1. P3. K1.
Continue in this manner to correspond to other border.

(Continued on page 7)

THE SURPLICE BLOUSE *(Continued from page 6)*



SLEEVES: **(Sizes 44 and 46 are written exactly the same).** With (B) wool and No. 10 needles cast on 72 sts. *(44—80 sts.)*.

Continue in Stocking st. inc. 1. st. each end of needle on next and every following 8th row to 106 sts. on needle. *(44—114 sts.)*.

Continue even until sleeve measures 15 ins. from beginning or desired length. *(all sizes)*. This allows for a 2-inch cuff.

To shape cap: ★Cast off 2 sts. beginning next 2 rows, then 1. st. beginning following 2 rows.★ Repeat from ★ to ★ to 28 sts. on needle. *(44—80 sts.)*. Cast off remaining sts.

To make cuffs: With (B) wool and No. 10 needles cast on 18 sts.

1st row: K4. P1. Join (A), work 1st. row of Chart. With (B), K1. (inside edge of cuff).

2nd row: K1(B). Work 2nd row of Chart. With (B), K1. P3. K1.

3rd row: With (B), K1. Twist. P1. Work 3rd row of Chart. K1(B).

4th row: K1(B), Work 4th row of Chart. With (B), K1. P3. K1. Keeping the 5 sts. at right edge of work in pattern as given on the preceding 4 rows and always knitting the st. at other end of work with (B), beginning with 5th row of Chart, work to end of Chart. Repeat these 30 rows once, then 1st. to 14th rows once. Break (A). Cast off.

TO MAKE UP: Darn in all ends. Press pieces carefully. Fold the cast-off sts. below shoulder shapings on each front shoulder to form knife pleats and sew down lightly for 1 inch on wrong side of work. Sew shoulder seams. Sew the cast-off sts. of front borders together and placing this seam at centre back of neck, sew in position. Starting at side edge, sew the left front to the ribbed band of front, matching st. for st. Sew the right front in position, sewing the border behind the border of left front. Sew side seams, easing in the extra length allowed for each front, 2 ins. below armholes. Sew cuffs in position. Sew sleeve seams. Sew in sleeves.

TWO-PIECE DRESS—38-42 *(Continued from page 3)*

VESTEE: With right side of work facing, using a No. 11 needle and beginning at white thread of left side of Front, pick up 42 sts. *(40—45 sts.)* *(42—45 sts.)* along edge to last decreasing of Front shaping.

Beginning at ★★ complete Vestee as given for sizes 32-36, see right, being careful to work 2 more rows in pattern with Metallic Thread before joining the wool as instructed.

COLLAR: With right side of work facing, join wool to neck at Right Front edge. With No. 11 needles pick up and knit 31 sts. *(40—32 sts.)* *(42—33 sts.)* along edge of neck to shoulder. With right side of work facing knit across the sts. on spare needle of Back. Pick up and knit 31 sts. *(40—32 sts.)* *(42—33 sts.)* along neck edge of Left Front.

Beginning with purl row, work 7 rows even in Stocking st. ending with purl row.

Knit 3 rows, then work 7 more rows Stocking st. to correspond with first 7 rows. Cast off **loosely.**

TO MAKE UP: Easing in the extra length allowed for Front 2 ins. below armholes when sewing side seams, make up as given for sizes 32-36, see right column.

TWO-PIECE DRESS—32-36 *(Continued from page 2)*

BELT: Cast on 14 sts. *(all sizes)*. Continue even in Stocking st. for 32 ins. *(34—33 ins.)* *(36—35 ins.)*. Cast off.

VESTEE: With right side of work facing, using a No. 11 needle and beginning at white thread on left side of Front, pick up 39 sts. *(34—39 sts.)* *(36—42 sts.)* along edge to last decreasing of Front shaping.

★★Turn work around. Join Metallic Thread. Change to No. 9 needles and proceed:—

1st row: K1. Purl to last st. K1.

2nd row: K1. Sl.1. K2. Pass the slipped st. over the 2 knit sts. ★Wl.fwd. Sl.1. K2. p.s.s.o. Repeat from ★ to last 2 sts. Wl.fwd. K2. Cast on 3 sts.

3rd row: K1. Purl to last st. K1.

4th row: K2. ★Wl.fwd. Sl.1. K2. p.s.s.o. Repeat from ★ to last st. K1. Cast on 3 sts.

Repeat 1st. and 2nd rows then work even in pattern (that is omitting the 3 cast-on sts. at end of 4th and 2nd rows), repeating 3rd and 4th rows, 1st. to 4th rows inclusive twice, then 1st. and 2nd rows once.

Break Metallic Thread. Join wool and change to No. 11 needles. Purl 3 rows. Cast off purlways, **loosely.**★★

Pick up 39 sts. *(34—39 sts.)* *(36—42 sts.)* along right side of Front, beginning at last decreasing of Front shaping and ending at white thread.

Work from ★★ to ★★ as given for other side casting on the 3 sts. at end of 1st. and 3rd rows instead of 2nd and 4th rows to reverse shaping.

COLLAR: With right side of work facing, join wool to neck at Right Front edge. With No. 11 needles pick up and knit 26 sts. *(34—28 sts.)* *(36—30 sts.)* along edge of neck to shoulder. With right side of work facing knit across the sts. on spare needle of Back. Pick up and knit 26 sts. *(34—28 sts.)* *(36—30 sts.)* along neck edge of Left Front.

Beginning with purl row, work 7 rows even in Stocking st. ending with purl row.

Knit 3 rows, then work 7 more rows Stocking st. to correspond with first 7 rows. Cast off **loosely.**

TO MAKE UP: Press pieces carefully. Work 2 rows s.c. around hem of skirt and 1 row s.c. around top edge. Work casing for elastic as follows:—With wrong side of work facing work 1 s.s. at waistline. ★Ch. 5. Miss 1. st. Work 1. s.s. at left ½ inch below waistline. Ch. 5. 1.s.s. ½ inch to left of 1st. st. at waistline. Repeat from ★ around ending with s.s. in 1st. st. Fasten off. Insert elastic. Sew side, shoulder and sleeve seams of Blouse. Sew lower edge of Vestee in position. Sew in sleeves. Work 1 row s.c. around lower edge and each cuff edge.

With wool buttonhole st. closely around buckle. Sew ribbon along centre of Belt, shaping one end to a point. Turn long edges of Belt to wrong side and sew in position. Sew buckle to straight end of Belt. Crochet a chain 2 ins. long. Work 1.s.s. in each st. Fasten off. Sew the chain near buckle to hold end of Belt. If buckle has a prong, punch a small hole in the proper position on Belt and buttonhole stitch around it with sewing thread.

With Metallic Thread crochet two firm chains about 2 yds. long. Sew in position around Vestee and on the first 7 rows of Collar as illustrated. Sew the pearls about ½ inch apart between the two rows of chain as illustrated. Fold Collar in half to wrong side and sew in position around neck. Sew hook and eye fastener at neck edge. Sew up front opening for desired amount.



A piece of Noplana showing the attractive nubbly effect.

For a Lovely Evening

the low neckline and brief sleeves (standing) see below

the lacey design and cap sleeves (seated) see page 10

MATERIALS:

2 ply BEEHIVE FINGERING, PATONISED. 3 ozs. *(34—4 ozs.)* *(36—4 ozs.)*. Two No. 12 and two No. 10 Queen Bee Knitting Needles. Set of 4 No. 10 Queen Bee Knitting Needles (points at both ends). One No. 10 Circular Knitting Needle.

MEASUREMENTS:	Bust	32 ins.	34 ins.	36 ins.
Length from top of shoulder		18 "	18 "	18½ "
Length of sleeve underarm seam		1 "	1 "	1 "

Tension: 8½ sts. and 10 rows = 1 inch with No. 10 needles.

Check tension—see page 33.

For Washing Instructions—see page 33.

The instructions are written for size 32. Sizes 34 and 36 are written in brackets thus:—( ).

Beginning at neck edge with set of 4 No. 10 needles cast on 162 sts. (54. 54. 54). *(all sizes)*.

Knit 3 rounds even.

4th round: *K1. K2tog. Repeat from * to end of round. 108 sts. in round. (36. 36. 36).

Knit 3 rounds even.

8th round: *K2tog. Wl.fwd. Repeat from * to end of round. (When hem is turned under at this row, when making up, the picot edge will be formed). Knit 3 rounds even.

12th round: *K1. Inc. 1. st. in next st. Repeat from * to end of round. 162 sts. in round. (54. 54. 54).

Knit 3 rounds even. These 15 rounds complete hem.

16th round: *K2. Inc. 1. st. in next st. Repeat from * to end of round. 216 sts. in round. (72. 72. 72).

Tie white thread to mark beginning of round. Change to circular needle and knit 3 rounds. Proceed:—

1st round: *Wl.fwd. K12. Repeat from * to end of round. (234 sts. in round).

2nd round: *K1. P1 into the Wl.fwd. of previous round. K12. Repeat from * to end of round. (252 sts. in round).

3rd round: *Wl.fwd. K2tog. Wl.fwd. Sl.1. K1. p.s.s.o. K10. Repeat from * to end of round.

4th and alternate rounds: Knit even.

5th round: *Wl.fwd. K3. Wl.fwd. Sl.1. K1. p.s.s.o. K7. K2tog. Repeat from * to end of round.

7th round: *Wl.fwd. K2tog. Wl.fwd. K1. (Wl.fwd. Sl.1. K1. p.s.s.o.) twice. K5. K2tog. Repeat from * to end of round.

9th round: *Wl.fwd. K2tog. Wl.fwd. K3. (Wl.fwd. Sl.1. K1. p.s.s.o.) twice. K3. K2tog. Repeat from * to end of round.

11th round: *(Wl.fwd. K2tog.) twice. Wl.fwd. K1. (Wl.fwd. Sl.1. K1. p.s.s.o.) 3 times. K1. K2tog. Repeat from * to end of round.

13th round: *(Wl.fwd. K2tog.) twice. Wl.fwd. K3. (Wl.fwd. Sl.1. K1. p.s.s.o.) twice. Wl.fwd. Sl.1. K2tog. p.s.s.o. Repeat from * to end of round.

15th round: *(Wl.fwd. K2tog.) 3 times. Wl.fwd. K1. (Wl.fwd. Sl.1. K1. p.s.s.o.) 3 times. Wl.fwd. K1. Repeat from * to end of round. (288 sts. in round).

17th round: Size 32: *(Wl.fwd. K2tog.) 3 times. Wl.fwd. K3. (Wl.fwd. Sl.1. K1. p.s.s.o.) 3 times. Wl.fwd. K1. Repeat from * to end of round. (324 sts. in round).

*(Size 34: *(Wl.fwd. K2tog.) 3 times. Wl.fwd. K3. (Wl.fwd. Sl.1. K1. p.s.s.o.) 3 times. Wl.fwd. K1. (Wl.fwd. K2tog.) 3 times. (Wl.fwd. K1) 3 times. (Wl.fwd. Sl.1. K1. p.s.s.o.) 3 times. Wl.fwd. K1. Repeat from * to end of round. 342 sts. in round).*

*(Size 36: *(Wl.fwd. K2tog.) 3 times. (Wl.fwd. K1) 3 times. (Wl.fwd. Sl.1. K1. p.s.s.o.) 3 times. Wl.fwd. K1. Repeat from * to end of round. 360 sts. in round).*

18th, 19th and 20th rounds: Knit even. Proceed:—

With two No. 10 needles knit 108 sts. *(34—114 sts.)* *(36—120 sts.)*. Turn. Leave remaining sts. on circular needle. Working on these 108 sts. *(34—114 sts.)* *(36—120 sts.)* proceed:—

To make Front: Beginning with purl row, work 7 rows *(34—7 rows)* *(36—11 rows)* even in Stocking st. ending with purl row.

****To shape armholes:** Continue in Stocking st. inc. 1. st. each end of needle on next and every alternate row to 116 sts. on needle. *(34—122 sts.)* *(36—128 sts.)* ending with purl row.
Cast on 6 sts. *(34—7 sts.)* *(36—8 sts.)* beginning next 2 rows. 128 sts. on needle. *(34—136 sts.)* *(36—144 sts.)*.
Work 1 inch even in Stocking st. ending with purl row.
Continue in Stocking st. dec. 1. st. each end of needle on next and every following 8th row to 108 sts. on needle. *(34—116 sts.)* *(36—124 sts.)*.
Continue even until work measures 9 ins. from cast-on sts. at armholes.
Change to No. 12 needles and work 3½ ins. ribbing (K1. P1). Cast off **loosely** in ribbing.****
With right side of work facing, slip next 54 sts. *(34—57 sts.)* *(36—60 sts.)* onto a thread and leave for Left Sleeve.
Join wool and with two No. 10 needles knit next 108 sts. *(34—114 sts.)* *(36—120 sts.)*.
Slip remaining 54 sts. *(34—57 sts.)* *(36—60 sts.)* onto another thread and leave for Right Sleeve.

To make Back: Beginning with purl row, work 13 rows *(34—13 rows)* *(36—17 rows)* even in Stocking st. ending with purl row. Work from ** to ** as given for Front.

To make Sleeves: Slip the 54 sts. *(34—57 sts.)* *(36—60 sts.)* left for one sleeve onto a No. 10 needle.
With right side of work facing join wool and knit 1 row, purl 1 row. Continue in Stocking st. inc. 1. st. each end of needle **every** row to 98 sts. on needle. *(34—101 sts.)* *(36—112 sts.)* ending with purl row.
Knit 1 row. Purl 1 row. Proceed:—
1st row: Knit to last 10 sts. Turn.
2nd row: Sl.1. Purl to last 10 sts. Turn.
3rd row: Sl.1. Knit to last 20 sts. Turn.
4th row: Sl.1. Purl to last 20 sts. Turn.
5th row: Sl.1. Knit to last 30 sts. Turn.
6th row: Sl.1. Purl to last 30 sts. Turn.
7th row: Sl.1. Knit to last 40 sts. Turn.
8th row: Sl.1. Purl to last 40 sts. Turn.
9th row: Sl.1. Knit to end of row.
10th row: K1. P24. *(34—K1. P24)* *(36—K1. P25)*. *P2tog. P1. Repeat from * to last 25 sts. *(34—25 sts.)* *(36—26 sts.)*. Purl to last st. K1. 82 sts. on needle. *(34—84 sts.)* *(36—92 sts.)*.
Work 6 rows even in Stocking st. ending with purl row.
Next row: (eyelets for picot edge). K2. *Wl.fwd. K2tog. Repeat from * to end of row.
Beginning with purl row work 7 rows even in Stocking st. ending with purl row. Cast off **loosely**.
Make other sleeve to correspond.

TO MAKE UP: Press pieces carefully. Sew side and sleeve seams. Sew sleeves evenly in armholes. Turn hems under to wrong side at eyelet rows and sew in position.

For a Lovely Evening

the lacey design and cap sleeves (seated)

(Shown on page 9)

MATERIALS:
2 ply BEEHIVE FINGERING, PATONISED. 3 ozs. *(34—4 ozs.)* *(36—4 ozs.)*. Two No. 13 and two No. 11 Queen Bee Knitting Needles. One Medium Crochet Hook. 6 Press Fasteners.

MEASUREMENTS:	**Bust**	**32 ins.**	**34 ins.**	**36 ins.**
Length from top of shoulder		19¼"	19½"	19¾"

Tension: 9 sts. and 11 rows = 1 inch with No. 11 needles.

Check tension—see page 33.

For Washing Instructions—see page 33.

The instructions are written for size 32. Sizes 34 and 36 are written in brackets thus:—( ).

FRONT: With No. 13 needles cast on 110 sts. *(34—118 sts.)* *(36—126 sts.)*.
1st row: K2. *P1. K1. Repeat from * to end of row. Repeat 1st. row for 3¼ ins.
Next row: Rib 5 sts. *(34—Rib 9 sts.)* *(36—Rib 13 sts.)*. *Inc. 1. st. in next st. Rib 9 sts. Repeat from * 9 times. Inc. 1. st. in next st. Rib to end of row. 121 sts. on needle. *(34—129 sts.)* *(36—137 sts.)*.
Change to No. 11 needles and proceed:—
1st row: K3. *(34—K7)* *(36—K11)*. *(Wl.fwd. Sl.1. K1. p.s.s.o.) 3 times. K3. Wl.fwd. K3. Sl.1. K2tog. p.s.s.o. K3. Wl.fwd. K1. (Wl.fwd. Sl.1. K1. p.s.s.o.) 3 times. K5. Wl.fwd. K2tog. K8. Wl.fwd. K2tog. K2. Repeat from * once. (Wl.fwd. Sl.1. K1. p.s.s.o.) 3 times. K3. Wl.fwd. K3. Sl.1. K2tog. p.s.s.o. K3. Wl.fwd. K1. (Wl.fwd. Sl.1. K1. p.s.s.o.) 3 times. Knit to end of row.

2nd and alternate rows: K1. P31. *(34—K1. P35)* *(36—K1. P39)*. K1. Wl.fwd. K2tog. P7. K1. Wl.fwd. K2tog. P31. K1. Wl.fwd. K2tog. P7. K1. Wl.fwd. K2tog. Purl to last st. K1.

3rd row: K4. *(34—K8)* *(36—K12)*. *(Wl.fwd. Sl.1. K1. p.s.s.o.) 3 times. K3. Wl.fwd. K2. Sl.1. K2tog. p.s.s.o. K2. Wl.fwd. K3. (Wl.fwd. Sl.1. K1. p.s.s.o.) 3 times. K4. Wl.fwd. K2tog. K8. Wl.fwd. K2tog. K3. Repeat from * once. (Wl.fwd. Sl.1. K1. p.s.s.o.) 3 times. K3. Wl.fwd. K2. Sl.1. K2tog. p.s.s.o. K2. Wl.fwd. K3. (Wl.fwd. Sl.1. K1. p.s.s.o.) 3 times. Knit to end of row.

5th row: K5. *(34—K9)* *(36—K13)*. *(Wl.fwd. Sl.1. K1. p.s.s.o.) 3 times. K3. Wl.fwd. K1. Sl.1. K2tog. p.s.s.o. K1. Wl.fwd. K5. (Wl.fwd. Sl.1. K1. p.s.s.o.) 3 times. K3. Wl.fwd. K2tog. K8. Wl.fwd. K2tog. K4. Repeat from * once. (Wl.fwd. Sl.1. K1. p.s.s.o.) 3 times. K3. Wl.fwd. K1. Sl.1. K2tog. p.s.s.o. K1. Wl.fwd. K5. (Wl.fwd. Sl.1. K1. p.s.s.o.) 3 times. Knit to end of row.

7th row: K6. *(34—K10)* *(36—K14)*. *(Wl.fwd. Sl.1. K1. p.s.s.o.) 3 times. K3. Wl.fwd. Sl.1. K2tog. p.s.s.o. Wl.fwd. K7. (Wl.fwd. Sl.1. K1. p.s.s.o.) 3 times. K2. Wl.fwd. K2tog. K8. Wl.fwd. K2tog. K5. Repeat from * once. (Wl.fwd. Sl.1. K1. p.s.s.o.) 3 times. K3. Wl.fwd. Sl.1. K2tog. p.s.s.o. Wl.fwd. K7. (Wl.fwd. Sl.1. K1. p.s.s.o.) 3 times. Knit to end of row.

9th row: K5. *(34—K9)* *(36—K13)*. *K2tog. (Wl.fwd. K2tog.) twice. Wl.fwd. K1. Wl.fwd. K3. Sl.1. K2tog. p.s.s.o. K3. Wl.fwd. K3. K2tog. (Wl.fwd. K2tog.) twice. Wl.fwd. K3. Wl.fwd. K2tog. K8. Wl.fwd. K2tog. K4. Repeat from * once. K2tog. (Wl.fwd. K2tog.) twice. Wl.fwd. K1. Wl.fwd. K3. Sl.1. K2tog. p.s.s.o. K3. Wl.fwd. K3. K2tog. (Wl.fwd. K2tog.) twice. Wl.fwd. Knit to end of row.

11th row: K4. *(34—K8)* *(36—K12)*. *K2tog. (Wl.fwd. K2tog.) twice. Wl.fwd. K3. Wl.fwd. K2. Sl.1. K2tog. p.s.s.o. K2. Wl.fwd. K3. K2tog. (Wl.fwd. K2tog.) twice. Wl.fwd. K4. Wl.fwd. K2tog. K8. Wl.fwd. K2tog. K3. Repeat from * once. K2tog. (Wl.fwd. K2tog.) twice. Wl.fwd. K3. Wl.fwd. K2. Sl.1. K2tog. p.s.s.o. K2. Wl.fwd. K3. K2tog. (Wl.fwd. K2tog.) twice. Wl.fwd. Knit to end of row.

13th row: K3. *(34—K7)* *(36—K11)*. *K2tog. (Wl.fwd. K2tog.) twice. Wl.fwd. K5. Wl.fwd. K1. Sl.1. K2tog. p.s.s.o. K1. Wl.fwd. K3. K2tog. (Wl.fwd. K2tog.) twice. Wl.fwd. K5. Wl.fwd. K2tog. K8. Wl.fwd. K2tog. K2. Repeat from * once. K2tog. (Wl.fwd. K2tog.) twice. Wl.fwd. K5. Wl.fwd. K1. Sl.1. K2tog. p.s.s.o. K1. Wl.fwd. K3. K2tog. (Wl.fwd. K2tog.) twice. Wl.fwd. Knit to end of row.

15th row: K2. *(34—K6)* *(36—K10)*. *K2tog. (Wl.fwd. K2tog.) twice. Wl.fwd. K7. Wl.fwd. Sl.1. K2tog. p.s.s.o. Wl.fwd. K3. K2tog. (Wl.fwd. K2tog.) twice. Wl.fwd. K6. Wl.fwd. K2tog. K8. Wl.fwd. K2tog. K1. Repeat from * once. K2tog. (Wl.fwd. K2tog.) twice. Wl.fwd. K7. Wl.fwd. Sl.1. K2tog. p.s.s.o. Wl.fwd. K3. K2tog. (Wl.fwd. K2tog.) twice. Wl.fwd. Knit to end of row.

16th row: As 2nd row. These 16 rows complete one pattern.
Keeping continuity of pattern inc. 1. st. each end of needle on next and every following 8th row (the 1st. and 9th pattern rows) to 137 sts. on needle. *(34—145 sts.)* *(36—153 sts.)*, working increased sts. in Stocking st.
Continue even in pattern until work measures 12 ins. from beginning ending with purl row. *(all sizes)*.

Next row: Inc. 1. st. in each of first 7 sts. Work in pattern to last 8 sts. Inc. 1. st. in each of next 7 sts. K1. 151 sts. on needle. *(34—159 sts.)* *(36—167 sts.)*.
Tie coloured thread at beginning and end of row to indicate the beginning of the sleeve edge.
Working the increased sts. in Stocking st. as before, continue even in pattern until work measures 18¼ ins. from beginning. *(all sizes)*.
With **wrong** side of work facing, proceed:—

To shape neck: K1. P46. *(34—K1. P50)* *(36—K1. P54)*. K1. Wl.fwd. K2tog. P10. Cast off 31 sts. purlways. P10. K1. Wl.fwd. K2tog. Purl to last st. K1.
Working on last 60 sts. *(34—64 sts.)* *(36—68 sts.)* and keeping continuity of pattern, dec. 1. st. at neck edge **every** row to 56 sts. on needle. *(34—59 sts.)* *(36—62 sts.)*.
Continue even in pattern until work from cast-off sts. of neck measures 1 inch. *(34—1¼ ins.)* *(36—1½ ins.)*.

To shape shoulder: Keeping continuity of pattern at sleeve edge cast off 14 sts. every alternate row 4 times.
(34—Cast off 15 sts. every alternate row 3 times, 14 sts. once)
(36—Cast off 16 sts. every alternate row 3 times, 14 sts. once).

With right side of work facing, join wool at neck edge to remaining 60 sts. *(34—64 sts.)* *(36—68 sts.)* and work other side to correspond.

PICOT EDGE FOR FRONT OF NECK: With right side of work facing and No. 13 needles pick up and knit 54 sts. *(34—56 sts.)* *(36—58 sts.)* around neck. **Purl 1 row, knit 1 row.
3rd row: P1. *w.r.n. P2tog. Repeat from * to last st. P1. Knit 1 row, purl 1 row. Cast off **loosely**.**

BACK: With No. 13 needles cast on 110 sts. *(34—118 sts.)* *(36—126 sts.)* and work exactly as given for Front, omitting neck shaping, until work from beginning measures 19¼ ins. *(34—19¼ ins.)* *(36—19¾ ins.)*.

To shape neck and shoulders: Work 56 sts. in pattern. Cast off 39 sts. Work in pattern to end of row.
(34—Work 59 sts. in pattern. Cast off 41 sts. Work in pattern to end of row)
(36—Work 62 sts. in pattern. Cast off 43 sts. Work in pattern to end of row).
Working on last 56 sts. *(34—59 sts.)* *(36—62 sts.)* shape shoulder as given for Front.

Join wool at neck edge to remaining 56 sts. *(34—59 sts.)* *(36—62 sts.)*. Work 1 row even in pattern. Shape shoulder as given for Front.

(Continued on page 29)

Embroidered Classic

with new interest in the barrel sleeves and neck line

MATERIALS:
3 ply BEEHIVE FINGERING, PATONISED. 5 ozs. *(34—6 ozs.)* *(36—6 ozs.)*. Two No. 12 and two No. 10 Queen Bee Knitting Needles. Two Stitch Holders. One 6-inch "Zipper" Fastener. Small quantity of Rose, Gold and Green for embroidery.

MEASUREMENTS: **Bust**	**32 ins.**	**34 ins.**	**36 ins.**
Length from top of shoulder	19½ "	19½ "	20 "
Length of sleeve underarm seam	1½ "	1½ "	1½ "

Tension: 8 sts. and 10 rows = 1 inch with No. 10 needles.

Check tension—see page 33.

For Washing Instructions—see page 33.

The instructions are written for size 32. Sizes 34 and 36 are written in brackets thus:—( ).

FRONT: With No. 12 needles cast on 100 sts. *(34—108 sts.)* *(36—116 sts.)*.
Work 3½ ins. ribbing (K1. P1).
Change to No. 10 needles and continue in Stocking st. inc. 1. st. each end of needle on 9th and every following 8th row to 120 sts. on needle. *(34—128 sts.)* *(36—136 sts.)*.
Continue even in Stocking st. until work measures 12½ ins. from beginning or desired length ending with purl row. *(all sizes)*.

To shape armholes: Cast off 6 sts. *(34—7 sts.)* *(36—8 sts.)* beginning next 2 rows, then dec. 1. st. each end of needle on next and every alternate row to 96 sts. on needle. *(34—100 sts.)* *(36—104 sts.)*.
Continue even until armhole from first shaping measures 5 ins. *(34—5 ins.)* *(36—5½ ins.)* ending with purl row.

To shape neck: K36. *(34—K38)* *(36—K40)*. Turn. Leave remaining sts. on spare needle.
Continue in Stocking st. dec. 1. st. at neck edge every row to 27 sts. on needle. *(34—29 sts.)* *(36—31 sts.)*.
Continue even until armhole from first shaping measures 7 ins. *(34—7 ins.)* *(36—7½ ins.)*.

To shape shoulder: At armhole edge cast off 9 sts. every alternate row 3 times.
(34—Cast off 10 sts. every alternate row twice, 9 sts. once)
(36—Cast off 11 sts. every alternate row once, 10 sts. twice).
Leaving next 24 sts. *(all sizes)* on st. holder, with right side of work facing, join wool to remaining sts. and work other side to correspond.

BACK: With No. 12 needles cast on 100 sts. *(34—108 sts.)* *(36—116 sts.)* and work exactly as given for Front to 96 sts. on needle. *(34—100 sts.)* *(36—104 sts.)*.
Continue even in Stocking st. until armhole from first shaping measures 3 ins. *(34—3 ins.)* *(36—3½ ins.)*, ending with purl row.

(Continued on page 21)

Casual One-piece Classic

with short or long ribbed sleeves
moulded into shoulders and neck line

MATERIALS:

BEEHIVE NOPLANA or MISS CANADA CROCHET-KNITTING WOOL. 16 ozs. *(34—17 ozs.)* *(36—19 ozs.)*. 2 ozs. extra for long sleeves. *(all sizes)*. Two No. 11 Queen Bee Knitting Needles. One No. 11 Circular Knitting Needle. One Medium Crochet Hook. One 7-inch "Zipper" Fastener. One spool matching Sewing Thread for Noplana dress. Length of Elastic. 1¼ yds. Grosgrain Ribbon 1 inch wide. One Buckle.

MEASUREMENTS: Bust	32 ins.	34 ins.	36 ins.
Length from top of shoulder	15½ "	15½ "	16 "
Length of short sleeve underarm seam	4½ "	4½ "	4½ "
Length of long sleeve underarm seam	16 "	16 "	16 "
Skirt—Waist	27 "	28 "	30 "
Hips	35 "	37 "	39 "
Length	30 "	30 "	30 "
Width all round at hem	52½ "	56 "	59½ "

Tension: 8 sts. and 11 rows = 1 inch.

Check tension—see page 33.

For Washing Instructions—see page 33.

The instructions are written for size 32. Sizes 34 and 36 are written in brackets thus:—( ).

SKIRT—With circular needle cast on 420 sts. *(34—448 sts.)* *(36—476 sts.)*.

Join, being careful not to twist sts. Tie white thread to mark beginning of round.

1st round: ★K12. P2. Repeat from ★ to end of round. Repeat 1st. round for 3 ins.

1st decreasing round: ★K2tog. K10. P2. K12. P2. Repeat from ★ to end of round.

Next round: ★K11. P2. K12. P2. Repeat from ★ to end of round. Repeat last round for 2½ ins.

2nd decreasing round: ★K11. P2. K2tog. K10. P2. Repeat from ★ to end of round.

Next round: ★K11. P2. Repeat from ★ to end of round. Repeat last round for 2½ ins.

3rd decreasing round: ★K9. Sl.1. K1. p.s.s.o. P2. K11. P2. Repeat from ★ to end of round.

Next round: ★K10. P2. K11. P2. Repeat from ★ to end of round. Repeat last round for 2½ ins.

4th decreasing round: ★K10. P2. K9. Sl.1. K1. p.s.s.o. P2. Repeat from ★ to end of round.

Next round: ★K10. P2. Repeat from ★ to end of round. Repeat last round for 2½ ins.

Decreasing in alternate panels and alternating the decreases from one side of each panel to the other side as before, continue decreasing 15 sts. *(34—16 sts.)* *(36—17 sts.)* on next round, then every 2 ins. 5 times.

Skirt now measures 23 ins. from beginning (Hipline). 270 sts. on needle. *(34—288 sts.)* *(36—306 sts.)*.

Continue decreasing as before, working 2 ins. even between decreasings twice then 1 inch even twice. 210 sts. on needle. *(34—224 sts.)* *(36—238 sts.)*.

Continue even in (K5. P2) ribbing until work measures 30 ins. from beginning, or desired length. (Waistline).

Knit first 2 sts. *(34—6 sts.)* *(36—2 sts.)* of round. Turn.

FRONT: With a No. 11 needle and wrong side of work facing purl 103 sts. P2tog. *(34—Purl 112 sts.)* *(36—Purl 118 sts. Inc. 1. st. in next st.)*. Turn. Leave remaining 105 sts. *(34—112 sts.)* *(36—119 sts.)* on circular needle.

Working on these 104 sts. *(34—112 sts.)* *(36—120 sts.)* with two No. 11 needles, continue in Stocking st. inc. 1. st. each end of needle on 7th and every following 8th row to 120 sts. on needle. *(34—128 sts.)* *(36—136 sts.)*..

Continue even in Stocking st. until work measures 7½ ins. from Waistline ending with purl row. *(all sizes)*.

To shape armholes: Cast off 3 sts. *(34—4 sts.)* *(36—4 sts.)* beginning next 4 rows.

Dec. 1. st. each end of needle on next and every following row to 98 sts. on needle. *(34—98 sts.)* *(36—102 sts.)*, then dec. 1. st. each end of needle every alternate row to 34 sts. on needle. *(34—34 sts.)* *(36—36 sts.)*, ending with purl row. Break wool. Leave these sts. on a thread.

BACK: With wrong side of work facing, join wool to remaining 105 sts. *(34—112 sts.)* *(36—119 sts.)* and work exactly as given for Front until work measures 7½ ins. from Waistline ending with purl row.

To shape armholes: Cast off 2 sts. *(34—3 sts.)* *(36—3 sts.)* beginning next 4 rows.

Dec. 1. st. each end of needle on next and every following row to 102 sts. on needle. *(34—102 sts.)* *(36—106 sts.)* ending with purl row.

To make back opening: K2tog. K49. *(34—K2tog. K49)* *(36—K2tog. K51)*. Turn. Leave remaining sts. on spare needle. Working on these 50 sts. *(34—50 sts.)* *(36—52 sts.)*, dec. 1. st. at armhole edge every alternate row to 17 sts. on needle. *(34—17 sts.)* *(36—18 sts.)* ending with **knit** row. Break wool. Leave these sts. on a thread.

With right side of work facing, join wool at back opening to remaining 51 sts. *(34—51 sts.)* *(36—53 sts.)* and work other side to correspond.

SHORT SLEEVES: (**Sizes 32 and 34 are written exactly the same**). Cast on 84 sts. *(all sizes)*.

1st row: K6. ★P2. K5. Repeat from ★ to last st. K1.

2nd row: K1. ★P5. K2. Repeat from ★ to last 6 sts. P5. K1. Repeat these 2 rows 4 times. *(all sizes)*.

Keeping continuity of pattern inc. 1. st. each end of needle on next and every following 4th row to 98 sts. *(34—104 sts.)* working increased sts. in pattern.

Continue even in pattern until sleeve measures 4½ ins. from beginning. *(all sizes)*. With right side of work facing, proceed:—

To shape cap: Keeping continuity of pattern cast off 2 sts. *(all sizes)* beginning next 6 rows, then dec. 1. st. each end of needle on next and every following alternate row to 72 sts. on needle. *(all sizes)*.

Being sure to knit the 1st. and last st. in every row continue even in pattern until cap from first cast-off sts. measures 3¾ ins. *(36—4¼ ins.)*.

With right side of work facing, proceed:—

1st row: Work 34 sts. in pattern. (P2tog.) twice. Work 34 sts. in pattern. Work 3 rows even in pattern.

5th row: Work 33 sts. in pattern. (P2tog.) twice. Work 33 sts. in pattern. Work 3 rows even in pattern.

9th row: Work 32 sts. in pattern. (P2tog.) twice. Work 32 sts. in pattern.

Keeping continuity of pattern, continue in this manner purling 2 sts. together twice in centre of work every 4th row to 58 sts. on needle, then every alternate row to 30 sts. on needle. Work 1 row even after last decreasing. Break wool. Leave these sts. on a thread.

(Continued on page 21)

The Sentimental Appeal

of the sunburst yoke with (or without) pearl trimming, with short or long sleeves.

(Shown on the cover)

MATERIALS:

BEEHIVE NOPLANA. 6 ozs. *(34—7 ozs.)* *(36—7 ozs.)*. 2 ozs. extra for long sleeves. Two No. 13 and two No. 11 Queen Bee Knitting Needles. One Medium Crochet Hook. One 6-inch "Zipper" Fastener. One string of Embroidery Pearls, size 5. One spool matching Sewing Thread.

MEASUREMENTS: Bust	32 ins.	34 ins.	36 ins.
Length from top of shoulder	21½ "	21½ "	22 "
Length of short sleeve underarm seam	1¾ "	1¾ "	1¾ "
Length of long sleeve underarm seam	16 "	16 "	16 "

Tension: 8 sts. and 11 rows = 1 inch with No. 11 needles.

Check tension—see page 33.

For Washing Instructions—see page 33.

The instructions are written for size 32. Sizes 34 and 36 are written in brackets thus:—( ).

YOKE: Beginning at neck edge, with No. 13 needles cast on 101 sts. *(all sizes)*.

Knit 4 rows Garter st.

5th row: K3. *Insert point of right hand needle under the strand between the last st. on right hand needle and the 1st. st. on left hand needle. Wool over needle and draw through a stitch onto right hand needle. (This inc. 1. st.). K2. Repeat from * to end of row. (150 sts. on needle).

Knit 3 rows. Purl 1 row. Change to No. 11 needles.

10th row: K1. *Wl.fwd. Sl.1. K2tog. p.s.s.o. Wl.fwd. K2. Repeat from * to last 4 sts. Wl.fwd. Sl.1. K2tog. p.s.s.o. Wl.fwd. K1.

11th row: K1. Purl to last st. K1.

12th row: Knit.

13th row: K1. Purl to last st. K1.

14th row: K1. *Wl.fwd. Sl.1. K2tog. p.s.s.o. Wl.fwd. K2. Wl.fwd. Sl.1. K2tog. p.s.s.o. Wl.fwd. Inc. 1. st. in next st. K1. Repeat from * to last 9 sts. Wl.fwd. Sl.1. K2tog. p.s.s.o. Wl.fwd. K2. Wl.fwd. Sl.1. K2tog. p.s.s.o. Wl.fwd. Inc. 1. st. in last st. (165 sts. on needle).

Repeat 11th to 13th rows inclusive after this and each of the following rows:—

18th row: K1. *Wl.fwd. Sl.1. K2tog. p.s.s.o. Wl.fwd. Inc. 1. st. in next st. K1. Wl.fwd. Sl.1. K2tog. p.s.s.o. Wl.fwd. K3. Repeat from * to last 10 sts. Wl.fwd. Sl.1. K2tog. p.s.s.o. Wl.fwd. Inc. 1. st. in next st. K1. Wl.fwd. Sl.1. K2tog. p.s.s.o. Wl.fwd. K2. (180 sts. on needle).

22nd row: Inc. 1. st. in 1st. st. *Wl.fwd. Sl.1. K2tog. p.s.s.o. Wl.fwd. K3. Wl.fwd. Sl.1. K2tog. p.s.s.o. Wl.fwd. K1. Inc. 1. st. in next st. K1. Repeat from * to last 11 sts. Wl.fwd. Sl.1. K2tog. p.s.s.o. Wl.fwd. K3. Wl.fwd. Sl.1. K2tog. p.s.s.o. Wl.fwd. K2. (195 sts. on needle).

26th row: K2. *Wl.fwd. Sl.1. K2tog. p.s.s.o. Wl.fwd. K1. Inc. 1. st. in next st. K1. Wl.fwd. Sl.1. K2tog. p.s.s.o. Wl.fwd. K4. Repeat from * to last 11 sts. Wl.fwd. Sl.1. K2tog. p.s.s.o. Wl.fwd. K1. Inc. 1. st. in next st. K1. Wl.fwd. Sl.1. K2tog. p.s.s.o. Wl.fwd. K2. (210 sts. on needle).

30th row: K2. *Wl.fwd. Sl.1. K2tog. p.s.s.o. Wl.fwd. K4. Wl.fwd. Sl.1. K2tog. p.s.s.o. Wl.fwd. K1. Inc. 1. st. in next st. K2. Repeat from * to last 12 sts. Wl.fwd. Sl.1. K2tog. p.s.s.o. Wl.fwd. K4. Wl.fwd. Sl.1. K2tog. p.s.s.o. Wl.fwd. K1. Inc. 1. st. in last st. (225 sts. on needle).

34th row: K2. *Wl.fwd. Sl.1. K2tog. p.s.s.o. Wl.fwd. K1. Inc. 1. st. in next st. K2. Wl.fwd. Sl.1. K2tog. p.s.s.o. Wl.fwd. K5. Repeat from * to last 13 sts. Wl.fwd. Sl.1. K2tog. p.s.s.o. Wl.fwd. K1. Inc. 1. st. in next st. K2. Wl.fwd. Sl.1. K2tog. p.s.s.o. Wl.fwd. K3. (240 sts. on needle).

38th row: Inc. 1. st. in 1st. st. K1. *Wl.fwd. Sl.1. K2tog. p.s.s.o. Wl.fwd. K5. Wl.fwd. Sl.1. K2tog. p.s.s.o. Wl.fwd. K2. Inc. 1. st. in next st. K2. Repeat from * to last 14 sts. Wl.fwd. Sl.1. K2tog. p.s.s.o. Wl.fwd. K5. Wl.fwd. Sl.1. K2tog. p.s.s.o. Wl.fwd. K3. (255 sts. on needle).

42nd row: K3. *Wl.fwd. Sl.1. K2tog. p.s.s.o. Wl.fwd. K2. Inc. 1. st. in next st. K2. Wl.fwd. Sl.1. K2tog. p.s.s.o. Wl.fwd. K6. Repeat from * to last 14 sts. Wl.fwd. Sl.1. K2tog. p.s.s.o. Wl.fwd. K2. Inc. 1. st. in next st. K2. Wl.fwd. Sl.1. K2tog. p.s.s.o. Wl.fwd. K3. (270 sts. on needle).

46th row: K3. *Wl.fwd. Sl.1. K2tog. p.s.s.o. Wl.fwd. K6. Wl.fwd. Sl.1. K2tog. p.s.s.o. Wl.fwd. K2. Inc. 1. st. in next st. K3. Repeat from * to last 15 sts. Wl.fwd. Sl.1. K2tog. p.s.s.o. Wl.fwd. K6. Wl.fwd. Sl.1. K2tog. p.s.s.o. Wl.fwd. K2. Inc. 1. st. in last st. (285 sts. on needle).

50th row: K3. *Wl.fwd. Sl.1. K2tog. p.s.s.o. Wl.fwd. K2. Inc. 1. st. in next st. K3. Wl.fwd. Sl.1. K2tog. p.s.s.o. Wl.fwd. K7. Repeat from * to last 16 sts. Wl.fwd. Sl.1. K2tog. p.s.s.o. Wl.fwd. K2. Inc. 1. st. in next st. K3. Wl.fwd. Sl.1. K2tog. p.s.s.o. Wl.fwd. K4. (300 sts. on needle).

54th row: Inc. 1. st. in 1st. st. K2. *Wl.fwd. Sl.1. K2tog. p.s.s.o. Wl.fwd. K7. Wl.fwd. Sl.1. K2tog. p.s.s.o. Wl.fwd. K3. Inc. 1. st. in next st. K3. Repeat from * to last 17 sts. Wl.fwd. Sl.1. K2tog. p.s.s.o. Wl.fwd. K7. Wl.fwd. Sl.1. K2tog. p.s.s.o. Wl.fwd. K4. (315 sts. on needle).

58th row: K4. *Wl.fwd. Sl.1. K2tog. p.s.s.o. Wl.fwd. K3. Inc. 1. st. in next st. K3. Wl.fwd. Sl.1. K2tog. p.s.s.o. Wl.fwd. K8. Repeat from * to last 17 sts. Wl.fwd. Sl.1. K2tog. p.s.s.o. Wl.fwd. K3. Inc. 1. st. in next st. K3. Wl.fwd. Sl.1. K2tog. p.s.s.o. Wl.fwd. K4. (330 sts. on needle).

62nd row: K4. *Wl.fwd. Sl.1. K2tog. p.s.s.o. Wl.fwd. K8. Repeat from * to last 7 sts. Wl.fwd. Sl.1. K2tog. p.s.s.o. Wl.fwd. K4.

66th row: As 62nd row.

Repeat the 11th and 12th rows once. Work now measures approx. 6 ins. from beginning.

Proceed:—

1st row: K1. Purl to last 45 sts. Turn.

2nd row: Having wool at front of work slip the 1st. off right hand needle onto left hand needle. Take the wool to back of work and slip the slipped st. back onto right hand needle. **When turning always slip the 1st. st. from right hand needle in this manner to prevent a hole.** K4. Inc. 1. st. in next st. K64. Inc. 1. st. in next st. K5. Turn.

3rd row: Sl.1. P83. Turn.

4th row: Sl.1. K10. Inc. 1. st. in next st. K66. Inc. 1. st. in next st. K11. Turn.

5th row: Sl.1. P96. Turn.

6th row: Sl.1. K15. Inc. 1. st. in next st. K68. Inc. 1. st. in next st. K16. Turn.

7th row: Sl.1. P109. Turn.

8th row: Sl.1. K21. Inc. 1. st. in next st. K70. Inc. 1. st. in next st. K22. Turn.

9th row: Sl.1. P122. Turn.

10th row: Sl.1. K26. Inc. 1. st. in next st. K72. Inc. 1. st. in next st. K27. Turn.

11th row: Sl.1. P135. Turn.

12th row: Sl.1. K32. Inc. 1. st. in next st. K74. Inc. 1. st. in next st. K33. Turn.

13th row: Sl.1. P148. Turn.

14th row: Sl.1. K37. Inc. 1. st. in next st. K76. Inc. 1. st. in next st. K38. Turn.

15th row: Sl.1. Purl to last st. K1. (344 sts. on needle).

16th row: Knit to last 45 sts. Turn.

Substituting purl rows for knit rows and knit rows for purl rows, repeat the 2nd to 14th rows inclusive. (358 sts. on needles).

(Continued on page 18)

The Cropped Jacket

with ripple back

(Shown on the cover)

MATERIALS:

PATONS BEEHIVE BOUCLET. 13 ozs. *(34—13 ozs.)* *(36—14 ozs.)*. Two No. 12 Queen Bee Knitting Needles. One spool matching sewing thread. One Medium Crochet Hook. ½ yd. Grosgrain Ribbon ½ inch wide.

MEASUREMENTS: Bust	32 ins.	34 ins.	36 ins.
Length from top of shoulder	17 "	17 "	17½ "
Length of sleeve underarm seam	13 "	13 "	13 "

Tension: 8 sts. and 11 rows = 1 inch.

Check tension—see page 33.

For Washing Instructions—see page 33.

The instructions are written for size 32. Sizes 34 and 36 are written in brackets thus:—( ).

BACK: Cast on 185 sts. *(34—194 sts.)* *(36—201 sts.)*.
Continue even in Stocking st. until work measures 10 ins. from beginning ending with purl row. *(all sizes)*.

To shape armholes: Cast off 6 sts. *(34—7 sts.)* *(36—8 sts.)* beginning next 2 rows, then dec. 1. st. each end of needle on next and every alternate row to 161 sts. on needle. *(34—166 sts.)* *(36—171 sts.)*.
Continue even until armhole from first shaping measures 3 ins. *(34—3 ins.)* *(36—3½ ins.)* ending with purl row.

Take sts. off needle onto a thread and press carefully on wrong side with damp cloth and warm iron. When piece is dry put sts. back on needle. This will accentuate the gathers.

Next row: K1. ★K2tog. K2tog. K1. Repeat from ★ to end of row. 97 sts. on needle. *(34—100 sts.)* *(36—103 sts.)*.

Next row: K1. ★Having wool at front of work, insert point of right hand needle from right to left through the front of the 2nd st. on left hand needle. Purl this st. but do not slip off needle. Purl 1st. st. on left hand needle in usual manner. Slip both sts. off needle together. Repeat from ★ to end of row.

(34—Repeat from ★ to last st. K1) *(36 as 34)*.

Continue even in Stocking st. until armhole from first shaping measures 7 ins. *(34—7 ins.)* *(36—7½ ins.)*.

To shape shoulders: Cast off 10 sts. beginning next 4 rows, 9 sts. beginning following 2 rows.

(34—Cast off 10 sts. beginning next 4 rows, 11 sts. beginning following 2 rows)

(36—Cast off 11 sts. beginning next 4 rows, 10 sts. beginning following 2 rows).

Cast off remaining sts.

LEFT FRONT: Cast on 50 sts. *(34—54 sts.)* *(36—58 sts.)*.
Continue even in Stocking st. until work measures 10 ins. from beginning ending with purl row. *(all sizes)*.

To shape armholes: Cast off 6 sts. *(34—7 sts.)* *(36—8 sts.)* beginning next row for armhole, then dec. 1. st. at armhole edge every alternate row to 35 sts. on needle. *(34—37 sts.)* *(36—39 sts.)* ending with purl row.

To shape neck: Dec. 1. st. at Front edge on next and every following 8th row to 29 sts. on needle. *(34—31 sts.)* *(36—32 sts.)*. Continue even until armhole from first shaping measures 7 ins. *(34—7 ins.)* *(36—7½ ins.)*.

To shape shoulder: At armhole edge cast off 10 sts. every alternate row twice, 9 sts. once.

(34—Cast off 10 sts. every alternate row twice, 11 sts. once)

(36—Cast off 11 sts. every alternate row twice, 10 sts. once).

Showing the back of the Cropped Jacket

RIGHT FRONT: Cast on 50 sts. *(34—54 sts.)* *(36—58 sts.)* and work to correspond to Left Front being careful to have all shapings for opposite side.

BORDER FOR FRONTS: Cast on 22 sts. *(all sizes)*.
1st row: K2. P1. K1. P1. (K2tog. w.r.n. P1. K1. P1) 3 times. K2.
2nd row: (K1. P1) twice. K1. (P2tog. w.o.n. K1. P1. K1) 3 times. P1. K1.
3rd row: K2. P1. K1. P1. (w.o.n. K2tog. P1. K1. P1) 3 times. K2.
4th row: (K1. P1) twice. K1. (w.r.n. P2tog. K1. P1. K1) 3 times. P1. K1.
Repeat these 4 rows for length sufficient to go along both front edges and back of neck. Cast off in ribbing.

SLEEVES: **(Sizes 32 and 34 are written exactly the same).**
Cast on 90 sts. *(36—98 sts.)*.
Work 3 ins. even in Stocking st. Continue in Stocking st. inc. 1. st. each end of needle on next row and every 2 ins. to 98 sts. on needle. *(36—106 sts.)*.
Continue even until sleeve measures 13 ins. from beginning, or desired length. *(all sizes)*.

To shape cap: ★Cast off 2 sts. beginning next 2 rows, then 1. st. beginning following 2 rows.★ Repeat from ★ to ★ to 26 sts. on needle. *(36—28 sts.)*. Cast off remaining sts.

CUFFS: Cast on 22 sts. *(all sizes)* and repeat the 4 rows as given for Border for Fronts for length sufficient to go along the cast-on edge of each sleeve. Cast off.

TO MAKE UP: Press pieces carefully. Sew all seams. Sew in sleeves. Sew border along front edges and back of neck. Sew cuffs in position. Work 1 row s.c. along lower edge. Cut ribbon desired length and sew across shoulders and back of neck.

The Romantic Sparkle of a crocheted stole

MATERIALS:

2 ply BEEHIVE FINGERING, PATONISED. 5 ozs. One No. 00 Steel Crochet Hook (American Gauge).

MEASUREMENTS: Width 20 ins. Length 70 ins.

Ch. 163 sts. **loosely**.

1st row: 1.s.c. in 7th Ch. from hook. (Ch. 4. Miss 3 Ch. 1.s.c. in next Ch.) 3 times. *Ch. 4. Miss 3 Ch. 1.d.c. in next Ch. (Ch. 4. Miss 3 Ch. 1.s.c. in next Ch.) 4 times. Repeat from * to last 4 Ch. Ch. 4. Miss 3 Ch. 1.s.c. in last Ch. Ch. 7. Turn.

****2nd row:** 1.s.c. in 1st. space. (Ch. 4. 1.s.c. in next space) 3 times. *Ch. 4. 1.s.c. in each of next space, next d.c. and next space. (Ch. 4. 1.s.c. in next space) 3 times. Repeat from * to last space. Ch. 4. 1.s.c. in last space. Ch. 7. Turn.

(Continued on page 18)

The Additional Glamour of a knitted stole

MATERIALS:
MISS CANADA CROCHET-KNITTING WOOL. 9 ozs. Two No. 7 Queen Bee Knitting Needles. One Medium Crochet Hook.

MEASUREMENTS: Width 19 ins. Length (without fringe) 63 ins.

Cast on 124 sts.
1st row: K3. Wl.fwd. *Sl.1. K2tog. p.s.s.o. w.r.n. P2. w.o.n. Repeat from * to last 6 sts. Sl.1. K2tog. p.s.s.o. Wl.fwd. K3.
2nd row: K3. *P3. K2. Repeat from * to last 6 sts. P3. K3. Repeat these 2 rows for 63 ins. or desired length. Cast off. Press lightly.

To make fringe: Wind the wool over a piece of cardboard 5 ins. wide and cut through one edge. Taking 3 strands together, double them, and using a crochet hook, draw a loop through the end of the stole. Pass the ends through the loop and knot firmly. Repeat at even distances along the edges of the stole.

STOLE *(Continued from page 16)*

3rd row: 1.s.c. in 1st. space. (Ch. 4. 1.s.c. in next space) twice. *Ch. 4. 1.s.c. in each of next space, next 3 s.c. and next space. (Ch. 4. 1.s.c. in next space) twice. Repeat from * to last 2 spaces. (Ch. 4. 1.s.c. in next space) twice. Ch. 7. Turn.

4th row: 1.s.c. in 1st. space. (Ch. 4. 1.s.c. in next space) twice. *Ch. 4. 1.s.c. in each of next space, next 5 s.c. and next space. Ch. 4. 1.s.c. in next space. Repeat from * to last 2 spaces. (Ch. 4. 1.s.c. in next space) twice. Ch. 7. Turn.

5th row: 1.s.c. in 1st. space. (Ch. 4. 1.s.c. in next space) twice. *Ch. 4. Miss 1.s.c. of previous row. 1.s.c. in next 5 s.c. (Ch. 4. 1.s.c. in next space) twice. Repeat from * to last 2 spaces. (Ch. 4. 1.s.c. in next space) twice. Ch. 7. Turn.

6th row: 1.s.c. in 1st. space. (Ch. 4. 1.s.c. in next space) 3 times. *Ch. 4. Miss 1.s.c. of previous row. 1.s.c. in next 3 s.c. (Ch. 4. 1.s.c. in next space) 3 times. Repeat from * to last space. Ch. 4. 1.s.c. in last space. Ch. 7. Turn.

7th row: 1.s.c. in 1st. space. (Ch. 4. 1.s.c. in next space) 3 times. *Ch. 4. Miss 1.s.c. of previous row. 1.d.c. in next s.c. (Ch. 4. 1.s.c. in next space) 4 times. Repeat from * to last space. Ch. 4. 1.s.c. in last space. Ch. 7. Turn.

8th row: 1.s.c. in 1st. space. Ch. 4. 1.s.c. in next space. *Ch. 4. 1.d.c. in next space. (Ch. 4. 1.s.c. in next space) 4 times. Repeat from * to last 3 spaces. Ch. 4. 1.d.c. in next space. (Ch. 4. 1.s.c. in next space) twice. Ch. 7. Turn.

9th row: 1.s.c. in 1st. space. *Ch. 4. 1.s.c. in each of next space, next d.c. and next space. (Ch. 4. 1.s.c. in next space) 3 times. Repeat from * to last 4 spaces. Ch. 4. 1.s.c. in each of next space, next d.c. and next space. (Ch. 4. 1.s.c. in next space) twice. Ch. 7. Turn.

10th row: 1.s.c. in 1st. space. *Ch. 4. 1.s.c. in each of next space, next 3 s.c. and next space. (Ch. 4. 1.s.c. in next space)twice. Repeat from * to last 3 spaces. Ch. 4. 1.s.c. in each of next space, next 3 s.c. and next space. Ch. 4. 1.s.c. in next space. Ch. 7. Turn.

11th row: 1.s.c. in each of 1st. space, next 5 s.c. and next space. *Ch. 4. 1.s.c. in next space. Ch. 4. 1.s.c. in each of next space, next 5 s.c. and next space. Repeat from * to last space. Ch. 4. 1.s.c. in last space. Ch. 7. Turn.

12th row: 1.s.c. in 1st. space. *Ch. 4. Miss 1.s.c. of previous row. 1.s.c. in next 5 s.c. (Ch. 4. 1.s.c. in next space) twice. Repeat from * to last space. Ch. 4. Miss 1.s.c. of previous row. 1.s.c. in next 5 s.c. Ch. 4. 1.s.c. in last space. Ch. 7. Turn.

13th row: 1.s.c. in 1st. space. *Ch. 4. Miss 1.s.c. of previous row. 1.s.c. in next 3 s.c. (Ch. 4. 1.s.c. in next space) 3 times. Repeat from * to last 2 spaces. Ch. 4. Miss 1.s.c. of previous row. 1.s.c. in next 3 s.c. (Ch. 4. 1.s.c. in next space) twice. Ch. 7. Turn.

14th row: 1.s.c. in 1st. space. Ch. 4. 1.s.c. in next space. *Ch. 4. Miss 1.s.c. of previous row. 1.d.c. in next s.c. (Ch. 4. 1.s.c. in next space) 4 times. Repeat from * to last 2 spaces. Ch. 4. Miss 1.s.c. of previous row. 1.d.c. in next s.c. (Ch. 4. 1.s.c. in next space) twice. Ch. 7. Turn.

15th row: 1.s.c. in 1st. space. (Ch. 4. 1.s.c. in next space) 3 times. *Ch. 4. 1.d.c. in next space. (Ch. 4. 1.s.c. in next space) 4 times. Repeat from * to last space. Ch. 4. 1.s.c. in last space. Ch. 7. Turn.**

Width of work should now be approx. 18 ins.

Repeat from ** to ** until work measures approx. 68 ins. from beginning, or desired length, ending with 7th pattern row and turning on last row with Ch. 4 instead of Ch. 7. Proceed:—

To make edging: 1st round: 2 d.c. in 1st. space (the turning Ch. 4 counts as 1.d.c.). *Ch. 3. 1.d.c. in each of next space, next st. and following space. Working (3 d.c. Ch. 3. 3 d.c.) in each corner space, repeat from * around working (3 d.c. Ch. 3) in 1st. space. Join with s.s. to 4th Ch. at beginning of round. Turn.

2nd round: 1.s.s. in 1st. space. Ch. 4. 1.d.c. in 1st. space. *1.d.c. in next space. Ch. 2. 1.d.c. in same space. Ch. 4. 1.s.c. in 4th Ch. from hook (for picot). 1.d.c. in same space. Ch. 2. 1.d.c. in same space. (this makes 1 shell). Repeat from * around to 1st. space. 1.d.c. Ch. 2. 1.d.c. Picot in 1st. space. Join with s.s. to 3rd Ch. at beginning of round. Fasten off. Press lightly.

BLOUSE *(Continued from page 14)*

Next row: Sl.1. Knit to last 50 sts. These 50 sts. are for one half of Back. **Turn work around.**

Slip first 79 sts. from left hand needle onto a thread and leave for Left Sleeve. Slip next 100 sts. onto another thread and leave for Front. Slip next 79 sts. onto another thread and leave for Right Sleeve. Slip remaining 50 sts. for other half of Back onto a spare needle with points at both ends. **Turn work around.**

With right side of work facing knit the first 50 sts. of Back, then being careful work is not twisted, knit the 50 sts. from spare needle. (100 sts. on needle).

BACK: Beginning with purl row, work 9 rows even in Stocking st. **(*all sizes*).**

To shape armholes: Size 32: Inc. 1. st. each end of needle on next and every alternate row to 110 sts. on needle, then cast on 5 sts. beginning next 2 rows. 120 sts. on needle.

(Size 34: *Inc. 1. st. each end of needle on next and every alternate row to 104 sts. on needle ending with purl row, then inc. 1. st. each end of needle on next and every following row to 116 sts. on needle. Cast on 6 sts. beginning next 2 rows. 128 sts. on needle***)**

(Size 36: *Inc. 1. st. each end of needle on next and every alternate row to 110 sts. on needle ending with purl row, then inc. 1. st. each end of needle on next and every following row to 122 sts. on needle. Cast on 7 sts. beginning next 2 rows. 136 sts. on needle***).**

Work 1½ ins. even in Stocking st. **(*all sizes*) ending with purl row.

Dec. 1. st. each end of needle on next and every following 8th row to 104 sts. on needle. **(*34—112 sts.*) (*36—120 sts.*).**

Work 7 rows even.

Change to No. 13 needles and work 3 ins. even.

Change to No. 11 needles and continue even until work measures 12 ins. from cast-on sts. at armholes ending with purl row.

Change to No. 13 needles and knit 8 rows Garter st. Cast off **loosely.****

FRONT: With right side of work facing join wool to the 100 sts. left for Front and with No. 11 needles, knit 1 row, purl 1 row. Shape armholes as given for Back, then repeat from ** to **.

SHORT SLEEVES: With right side of work facing join wool to the 79 sts. left for one sleeve and with No. 11 needles work 4 rows even in Stocking st. **(*all sizes*).**

Continue in Stocking st. inc. 1. st. each end of needle on next and every following 6th row to 89 sts. on needle. **(*34 as 32*).**

(*36—Inc. 1. st. each end of needle on next and every following 4th row to 95 sts. on needle*).

Cast on 1. st. beginning next 2 rows. **(*all sizes*).**

This completes cap shaping.

Work 1½ ins. even in Stocking st. ending with purl row.

Change to No. 13 needles and knit 8 rows Garter st. Cast off **loosely.**

LONG SLEEVES: Work exactly as given for Short Sleeves until the 1½ ins. even in Stocking st. has been worked after cap shaping. Continue in Stocking st. dec. 1. st. each end of needle on next and every following 8th row to 53 sts. on needle. **(*34—53 sts.*) (*36—59 sts.*).**

Continue even until sleeve measures 15½ ins. or desired length, from the **cast-on** sts. of cap shaping ending with purl row. **(*all sizes*).**

Change to No. 13 needles and knit 8 rows Garter st.
Cast off **loosely.**

TO MAKE UP: Press carefully. Sew side and sleeve seams. Sew sleeves evenly in armholes. With wrong side of work facing work 1 row s.s. around neck. Sew "Zipper" fastener in back opening. Sew the pearls ½ inch apart in the centre of each of the plain panels as illustrated.

The Subtle Flattery

of batwing sleeves, rolled neckline and cuffs, knitted lengthwise which adds new interest to your knitting

MATERIALS:
3 ply BEEHIVE FINGERING, PATONISED. 9 ozs. ***(34—10 ozs.)*** ***(36—10 ozs.)***. Two No. 12 and two No. 10 Queen Bee Knitting Needles. One 6-inch "Zipper" Fastener.

MEASUREMENTS:	**Bust**	**32 ins.**	**34 ins.**	**36 ins.**
Length from top of shoulder		19½ "	19½ "	19¾ "
Length from cuff edge to cuff edge		46 "	47 "	48 "

Tension: 8 sts. and 10 rows = 1 inch with No. 10 needles.

Check tension—see page 33.

For Washing Instructions—see page 33.

The instructions are written for size 32. Sizes 34 and 36 are written in brackets thus:—( ).

FRONT: Beginning at cuff edge with No. 10 needles cast on 30 sts. *(all sizes)***.
1st row: K1. Purl to last st. K1.
2nd row: (top and shoulder edge). Inc. 1. st. in 1st. st. Knit to end of row. (underarm and lower edge).
Repeat these 2 rows to 109 sts. on needle ***(all sizes)*** then inc. 1. st. at same edge every 4th row to 124 sts. on needle. ***(34—125 sts.)*** ***(36—126 sts.)*** ending with **knit** row.
Work 3 rows even ending with purl row. (shoulder edge).**

To shape neck: Cast off 8 sts. ***(34—9 sts.)*** ***(36—10 sts.)*** beginning next row for neck, then dec. 1. st. at neck edge every alternate row 5 times. 111 sts. on needle. ***(all sizes)***.
Work 17 rows ***(34—19 rows)*** ***(36—21 rows)*** even ending with purl row.
Inc. 1. st. at neck edge on next and every alternate row to 116 sts. on needle ***(all sizes)*** ending with purl row.
Cast on 8 sts. ***(34—9 sts.)*** ***(36—10 sts.)***.
This completes neck shaping. 124 sts. on needle. ***(34—125 sts.)*** ***(36—126 sts.)***.
***Knit 1 row. Purl 1 row.

Next row: K1. K2tog. Knit to end of row.
Continue in this manner, dec. 1. st. at shoulder edge every 4th row to 109 sts. on needle ***(all sizes)*** then every alternate row to 30 sts. on needle. ***(all sizes)***, ending with purl row. Cast off.

To make waistband: With No. 12 needles cast on 100 sts. ***(34—108 sts.)*** ***(36—116 sts.)***.
Work 4 ins. even in ribbing (K1. P1). Cast off **loosely** in ribbing.***

BACK: Work from ** to ** as given for Front.

To shape neck: Cast off 2 sts. ***(all sizes)*** beginning next row for neck then work 19 rows ***(34—19 rows)*** ***(36—21 rows)*** even in Stocking st. ending with purl row.

(Continued on page 29)



Tri-Colour Casual

knitted lengthwise
to avoid joining wools when
changing colours

MATERIALS:
MISS CANADA CROCHET-KNITTING WOOL. 3 ozs. *(34—3 ozs.)* *(36—4 ozs.)*. Grey No. 481. 2 ozs. each Green No. 453 and Wine No. 459. *(all sizes)*. Two No. 13 and two No. 11 Queen Bee Knitting Needles. One 4-inch "Zipper" Fastener.

MEASUREMENTS:	**Bust**	**32 ins.**	**34 ins.**	**36 ins.**
Length from top of shoulder		20 "	20¼ "	20½ "

Tension: 8 sts. and 11 rows = 1 inch with No. 11 needles.

Check tension—see page 33.

For Washing Instructions—see page 33.

The instructions are written for size 32. Sizes 34 and 36 are written in brackets thus:—( ).

FRONT AND BACK ALIKE: Beginning at sleeve edge with Grey and No. 11 needles cast on 45 sts. *(34—47 sts.)* *(36—49 sts.)*.
1st row: With Grey, knit to last 2 sts. Inc. 1. st. in next st. K1. (side edge).
2nd row: With Grey, inc. 1. st. in 1st. st. Purl to last st. K1. (shoulder edge). Do not break Grey. Join Wine.
3rd row: With Wine, inc. 1. st. in 1st. st. Knit to last 2 sts. Inc. 1. st. in next st. K1.
4th row: With Wine, inc. 1. st. in 1st. st. Purl to last st. K1. Do not break Wine, but carry it from one stripe to next by twisting it around the other wools at edge of work.
5th row: With Grey, knit to last 2 sts. Inc. 1. st. in next st. K1.
6th row: With Grey, inc. 1. st. in 1st. st. Purl to last st. K1. Join Green.
7th row: With Green, inc. 1. st. in 1st. st. Knit to last 2 sts. Inc. 1. st. in next st. K1.
8th row: With Green, inc. 1. st. in 1st. st. Purl to last st. K1. Do not break Green, but carry it from one stripe to next by twisting it around the other wools at edge of work. These 8 rows complete stripe pattern and 10 sts. have been increased. *(all sizes)*. Count sts. on needle at end of every 8th row while shaping side edge and shoulder to be sure there are 10 sts. extra on needle.
Repeat these 8 rows 5 times, then 1st. to 4th rows once. 110 sts. on needle. *(34—112 sts.)* *(36—114 sts.)*.
53rd row: With Grey, knit to end of row. Cast on 38 sts. 148 sts. on needle. *(34—150 sts.)* *(36—152 sts.)*.
54th row: With Grey, K30. Purl to last st. K1.
Keeping 30 sts. for waistband in plain knitting every row, continue in stripe pattern inc. 1. st. at shoulder edge on next row then every following 4th row to 151 sts. on needle. *(34—152 sts.)* *(36—154 sts.)* then every 6th row to 155 sts. on needle. *(34—157 sts.)* *(36—159 sts.)* ending at lower edge.
Work 1 row *(34—1 row)* *(36—3 rows)* even ending at shoulder edge.

(Continued on page 21)

DRESS *(Continued from page 13)*

LONG SLEEVES: **(Sizes 32 and 34 are written exactly the same).** Cast on 56 sts. ***(all sizes)***.
Repeat the 1st. and 2nd rows as given for Short Sleeves 10 times. ***(all sizes)***.
Keeping continuity of pattern inc. 1. st. each end of needle on next and every following 6th row to 98 sts. on needle. ***(36—104 sts.)***, working increased sts. in pattern.
Continue even in pattern until sleeve measures 16 ins. from beginning, or desired length. ***(all sizes)***.
With right side of work facing, shape cap as given for Short Sleeves.

NECKBAND: **(Sizes 32 and 34 are written exactly the same).** With wrong side of work facing, slip the sts. left on threads onto a No. 11 needle as follows:—
Right side of back of neck, one sleeve, the front, the other sleeve and left side of back of neck.
With right side of work facing, join wool at back opening and proceed:—
1st row: K3. (P2. K5) 8 times. P2. K2. K2tog. K2. P2. (K5. P2) 8 times. K3. 127 sts. on needle.
(36—K4. (P2. K5) 7 times. (P2. K2. K2tog. K2) 3 times. P2. (K5. P2) 7 times. K4. 129 sts. on needle).
2nd row: K1. P2. ***(36—K1. P3)***. ★K2. P5. Repeat from ★ to last 5 sts. ***(36—6 sts.)***. K2. Purl to last st. K1.
3rd row: K3. ***(36—K4)***. ★P2. K5. Repeat from ★ to last 5 sts. ***(36—6 sts.)***. P2. Knit to end of row.
Repeat 2nd and 3rd rows once.
6th row: K1. P2. ***(36—K1. P3)***. ★K2. P1. P2tog. P2. Repeat from ★ to last 5 sts. ***(36—6 sts.)***. K2. Purl to last st. K1.
7th row: K3. ***(36—K4)***. ★P2. K4. Repeat from ★ to last 5 sts. ***(36—6 sts.)***. P2. Knit to end of row.
8th row: K1. P2. ***(36—K1. P3)***. ★K2. P4. Repeat from ★ to last 5 sts. ***(36—6 sts.)***. K2. Purl to last st. K1.
Repeat 7th and 8th rows once.
11th row: K3. ***(36—K4)***. ★P2tog. K4. Repeat from ★ to last 5 sts. ***(36—6 sts.)***. P2tog. Knit to end of row.
12th row: K1. P2. ***(36—K1. P3)***. ★K1. P4. Repeat from ★ to last 4 sts. ***(36—5 sts.)***. K1. Purl to last st. K1. Cast off in pattern.

BELT: Knit the belt and make it up as given for Belt of Two-Piece Dress, see page 7.

TO MAKE UP: Press pieces carefully. Sew side and sleeve seams. Sew sleeves evenly in position. Work 1 row s.c. around hem and each cuff. Sew in "Zipper" fastener.
Work casing for elastic as follows:—With wrong side of work facing work 1. s.s. ¼ inch above waistline. ★Ch. 5. Miss 1. st. Work 1. s.s. at left ¼ inch below waistline. Repeat from ★ around waistline ending with s.s. in 1st. st. Fasten off. Insert elastic.

BLOUSE *(Continued from page 11)*

To make Back Opening: K48. ***(34—K50)*** ***(36—K52)***. Turn. Leave remaining sts. on spare needle.
Continue even in Stocking st. until armhole from first shaping measures 7 ins. ***(34—7 ins.)*** ***(36—7½ ins.)***.
Shape shoulder as given for Front.
Leave remaining sts. on st. holder.

With right side of work facing, join wool to remaining 48 sts. ***(34—50 sts.)*** ***(36—52 sts.)*** and work other side to correspond, ending at Back Opening.
Do not break wool.

NECKBAND: Sew shoulder seams. With No. 10 needles knit across sts. of left side of back of neck. Pick up and knit 16 sts. ***(34—17 sts.)*** ***(36—18 sts.)*** along left side of neck. Knit across sts. at front of neck. Pick up and knit 16 sts. ***(34—17 sts.)*** ***(36—18 sts.)*** along right side of neck. Knit across sts. of right side of back of neck. 98 sts. on needle. ***(34—100 sts.)*** ***(36—102 sts.)***.
1st row: Knit.
2nd row: K1. Purl to last st. K1. Repeat 1st. and 2nd rows once.
5th and 6th rows: Knit.
7th row: K1. Purl to last st. K1.
8th row: K2. ***(34—K4)*** ***(36—K6)***. ★K2tog. K4. Repeat from ★ to end of row.
9th row: K1. Purl to last st. K1.
10th row: Knit.
Repeat 1st. and 2nd rows twice, then 1st. row once. Cast off.

SLEEVES: **(Sizes 32 and 34 are written exactly the same).** With No. 10 needles cast on 90 sts. ***(36—98 sts.)***.
****1st row:** (wrong side of work). Knit.
2nd row: K1. Purl to last st. K1. Repeat 1st. and 2nd rows once.
5th and 6th rows: Knit.
7th row: K1. Purl to last st. K1.
8th row: Knit. Repeat 7th and 8th rows once.**
Repeat from ** to ** once, then 1st. and 2nd rows twice.

To shape cap: Beginning with 5th pattern row, continue in pattern, casting off 6 sts. beginning next 2 rows ***(all sizes)*** then dec. 1. st. each end of needle on next and every following alternate row to 54 sts. on needle. ***(36—62 sts.)*** ending with 10th pattern row. (a knit row).
Beginning with purl row, continue in Stocking st. dec. 1. st. each end of needle on next and every alternate row to 44 sts. on needle. ***(36—52 sts.)***, then dec. 1. st. each end of needle every row to 24 sts. on needle. ***(all sizes)***. Cast off.

TO MAKE UP: Press all Stocking st. portions carefully.

TO EMBROIDER ON WOOL in Duplicate st., see page 32. Working from Chart on page 32, and placing design on 9th st. ***(34—11th st.)*** ***(36—13th st.)*** from left armhole edge and 15th row ***(all sizes)*** down from 1st. row of neck shaping, work embroidery. When embroidery is complete, press carefully on wrong side.
Sew all seams. Sew in sleeves. Sew "Zipper" fastener in back opening.

TRI-COLOUR CASUAL *(Continued from page 20)*

To shape neck: Continuing in stripe pattern, with right side of work facing, dec. 1. st. at neck edge (beginning of needle) on next and every following row to 148 sts. on needle. ***(34—150 sts.)*** ***(36—152 sts.)*** ending with **knit** row.
Work 1 row even ending at neck edge.
Dec. 1. st. at neck edge on next and every alternate row to 144 sts. on needle. ***(34—146 sts.)*** ***(36—148 sts.)*** ending at lower edge.
Work 13 rows ***(34—15 rows)*** ***(36—17 rows)*** even ending at neck edge. The last Wine stripe ***(34—Green stripe)*** ***(36—Wine stripe)*** is centre of Blouse.
Work 12 rows ***(34—14 rows)*** ***(36—16 rows)*** even ending at neck edge.
Inc. 1. st. at neck edge on next and every alternate row to 148 sts. on needle. ***(34—150 sts.)*** ***(36—152 sts.)*** ending with **purl** row.
Inc. 1. st. at neck edge on next and every following row to 155 sts. on needle. ***(34—157 sts.)*** ***(36—159 sts.)*** ending at lower edge. This completes neck shaping.
Work 1 row ***(34—1 row)*** ***(36—3 rows)*** even.
Dec. 1. st. at shoulder edge on next and every following 6th row to 150 sts. on needle. ***(34—151 sts.)*** ***(36—153 sts.)***. then every 4th row to 148 sts. on needle ***(34—150 sts.)*** ***(36—152 sts.)*** ending at lower edge.
Next row: Cast off 38 sts. Purl to last st. K1. 110 sts. on needle. ***(34—112 sts.)*** ***(36—114 sts.)***.
Continue in stripe pattern, dec. 1. st. at side edge on next and every following row, at same time dec. 1. st. at shoulder edge on 3rd and every following 4th row to 45 sts. on needle ***(34—47 sts.)*** ***(36—49 sts.)*** ending with purl row of the Grey stripe following the Wine stripe. Break Wine and Green. Knit 1 row with Grey. Cast off purlways. Press pieces carefully.

NECK EDGING: Sew left shoulder seam. With right side of work facing, Wine wool and No. 13 needles pick up and knit 92 sts. ***(34—96 sts.)*** ***(36—100 sts.)*** around neck. Knit 3 rows. Cast off. Sew right shoulder to within 4 ins. of neck. Sew "Zipper" fastener in this opening.

SLEEVE EDGING: With right side of work facing, Wine wool and No. 13 needles pick up and knit 94 sts. ***(34—98 sts.)*** ***(36—102 sts.)*** along sleeve edge. Knit 3 rows. Cast off. Sew side seams.

The Plaid Weskit

to lend charm to your suit

MATERIALS:

3 ply BEEHIVE FINGERING, PATONISED. 3 ozs. Tartan No. 632 (B). 3 ozs. Gold No. 798 (A). *(34—4 ozs. (B). 3 ozs. (A).)* *(36—4 ozs. (B). 3 ozs. (A).)*. Two No. 12 and two No. 11 Queen Bee Knitting Needles. One Medium Crochet Hook. 6 Buttons.

MEASUREMENTS:	**Bust**	**32 ins.**	**34 ins.**	**36 ins.**
Length of Back from top of shoulder		17 "	17 "	17½ "

Tension: 8½ sts. and 11 rows = 1 inch with No. 11 needles in Stocking st.
17 sts. and 17 rows = 2 ins. with No. 11 needles in Fair Isle.

Check tension—see page 33.

For Washing Instructions—see page 33.

The instructions are written for size 32. Sizes 34 and 36 are written in brackets thus:—( ).

NOTE—When working in Fair Isle, be sure to weave the wools on the wrong side of the work, see page 32.
DO NOT PULL LOOPS ACROSS.

RIGHT FRONT: **To make pocket piece:** With (B) wool and No. 12 needles cast on 30 sts. *(all sizes)*.
Beginning with **knit** row work 12 rows even in Stocking st. Change to No. 11 needles. Join (A) wool.
Working in Fair Isle, see page 32, being careful to read **knit** rows from **right** to left and **purl** rows from **left** to right, beginning with 31st row of Chart (A), see page 23, work the 30 sts. in pattern as shown in Chart, to end of Chart. Break wools. Leave these sts. on spare needle.

With (B) wool and No. 11 needles cast on 7 sts. *(all sizes)*.
1st row: Knit.
2nd row: Cast on 2 sts. K1. Purl to last st. Inc. 1. st. in last st.
3rd row: Inc. 1. st. in 1st. st. Knit to last 2 sts. Join (A) wool. K1(A). With (B), inc. 1. st. in last st.
Working in Fair Isle, being careful to read **knit** rows from **right** to left and **purl** rows from **left** to right, beginning with 4th row of Chart (A), work to end of 24th row.
25th row: With (B), cast on 8 sts. for facing. Keeping these 8 sts. in Stocking st. with (B) wool throughout, continue working from Chart to end of 28th row.
29th row: (1st. buttonhole). With (B), K3. Cast off 2 sts. K3. Work next 4 sts. from Chart. Cast off next 2 sts. Work to end of row.
30th row: Work to last 10 sts. Cast on 2 sts. Work 4 sts. from Chart. With (B), P3. Cast on 2 sts. P2. K1.
Continue working from Chart to end of Chart. 72 sts. on needle. *(34—77 sts.)* *(36—82 sts.)*.

(Continued on next page)

CHART (A)



CHART (B)



To make pocket facing: With (B), K8. Work 24 sts. in pattern. With (B) wool and No. 12 needles knit across next 30 sts. Turn. Beginning with **purl** row, with (B) wool and No. 12 needles work 7 rows Stocking st. on these 30 sts. Cast off.

To insert pocket piece: Join (B) wool to the 32 sts. on right hand needle and work in pattern across the 30 sts. of pocket piece and remaining 10 sts. *(34—15 sts.)* *(36—20 sts.)* to last st. Inc. 1. st. in last st. (side edge). Work 1 row even in pattern.

Work 2nd buttonhole on next 2 rows. Keeping continuity of pattern and working 4 more buttonholes 14 rows apart as before, continue inc. 1. st. at side edge on next and every following 4th row to 88 sts. on needle. *(34—93 sts.)* *(36—98 sts.)*, working increased sts. in pattern.

Continue even in pattern to end of 6th buttonhole. Work now measures approx. 10 ins. from the cast-on sts. at side edge. Work to side edge.

To shape armhole and neck: 1st row: Cast off 7 sts. *(34—8 sts.)* *(36—9 sts.)*. Work to Front edge.

2nd row: With (B), cast off the 8 sts. of facing. Work to armhole edge.

3rd row: As 1st. row. 66 sts. on needle. *(34—69 sts.)* *(36—72 sts.)*.

4th row: (neck edge). K2tog. Work to last 2 sts. K2tog. (armhole edge).

Keeping continuity of pattern, continue dec. 1. st. at armhole edge every alternate row, at same time dec. 1. st. at neck edge every 3rd row to 46 sts. on needle. *(34—49 sts.)* *(36—52 sts.)*.

Keeping armhole edge even, continue dec. 1. st. at neck edge on 2nd and every following 3rd row as before to 36 sts. on needle. *(34—39 sts.)* *(36—39 sts.)*.

Continue even in pattern until armhole from first shaping measures 7½ ins. *(34—7½ ins.)* *(36—8 ins.)*.

To shape shoulder: Keeping continuity of pattern, at armhole edge cast off 12 sts. *(34—13 sts.)* *(36—13 sts.)* every alternate row 3 times.

LEFT FRONT: Omitting buttonholes and being careful to read purl rows for knit rows and knit rows for purl rows throughout to reverse shapings, work exactly as given for Right Front.

LEFT BACK: With (B) wool and No. 11 needles cast on 62 sts. *(34—67 sts.)* *(36—72 sts.)*.

1st row: Knit. Join (A) wool.

Working in Fair Isle, being careful to read **knit** rows from **right** to left and **purl** rows from **left** to right, beginning with 2nd row of Chart (B), work to end of Chart. 60 sts. on needle. *(34—65 sts.)* *(36—70 sts.)*.

Keeping continuity of pattern inc. 1. st. at end of needle *(side edge)* on next and every following 6th row to 70 sts. on needle. *(34—75 sts.)* *(36—80 sts.)*, working increased sts. in pattern.

Continue even in pattern until work measures same length as Right Front to armhole ending at side edge.

To shape armhole: Keeping continuity of pattern, at armhole edge cast off 6 sts. *(34—7 sts.)* *(36—8 sts.)* once, then dec. 1. st. on next and every alternate row to 51 sts. on needle. *(34—54 sts.)* *(36—57 sts.)*.

Continue even in pattern until armhole from first shaping measures 7½ ins. *(34—7½ ins.)* *(36—8 ins.)*.

Shape shoulder as given for Right Front. Cast off remaining sts.

RIGHT BACK: Being careful to read purl rows for knit rows and knit rows for purl rows throughout to reverse shapings, work exactly as given for Left Back.

TO MAKE UP: Darn in all ends. Press pieces carefully. Sew all seams. Turn under and hem pocket facings in position. Sew pocket pieces in position. Sew front facings in position. With (B)wool buttonhole st. around each buttonhole sewing through the front and the facing. With (B) work 1 row s.c. around neck edge, lower edge and each armhole. Turn under a ½-inch hem on these edges and sew in position. Sew buttons to correspond to buttonholes.

The Twin Sets

with simple ribbing and cable trim

THE CARDIGANS *(Shown on page 27)*

4 ply BEEHIVE FINGERING, PATONISED.
or
4 ply DIANA, PATONISED.
or
4 ply MISS CANADA SUPERIOR FINGERING.
For Quantity required, see below.

Two No. 12, two No. 11 and two No. 10 Queen Bee Knitting Needles for sizes 32, 36 and 40. Two No. 12, two No. 10 and two No. 9 Knitting Needles for sizes 34, 38 and 42. One spare needle with points at both ends. 8 Buttons.

Tension: 7½ sts. and 10 rows = 1 inch with No. 10 needles.
7 sts. and 9 rows = 1 inch with No. 9 needles.

Check tension—see page 33.

For Washing Instructions—see page 33.

MEASUREMENTS AND QUANTITY OF WOOL REQUIRED

Measurements	Bust	32 ins.	34 ins.	36 ins.	38 ins.	40 ins.	42 ins.
Length from top of shoulder		20½ "	20½ "	21 "	21 "	21½ "	21½ "
Length of sleeve underarm seam		17 "	17 "	17 "	17 "	17 "	17 "
4 ply Beehive Fingering, Patonised, quantity required:		10 ozs.	10 ozs.	11 ozs.	11 ozs.	12 ozs.	12 ozs.

4 ply Diana, Patonised or 4 ply Miss Canada Superior Fingering allow 1 oz. extra for all sizes.

SIZES 32, 34 and 36

The instructions are written for size 32. Sizes 34 and 36 are written in brackets thus:—( ).

BACK: With No. 10 needles cast on 105 sts.
(34—With No. 9 needles cast on 105 sts.)
(36—With No. 10 needles cast on 119 sts.).
1st row: K2. *P1. K1. Repeat from * to last st. K1.
2nd row: K1. *P1. K1. Repeat from * to end of row.
Repeat these 2 rows once.
5th row: K6. *P2. K5. Repeat from * to last st. K1.
6th row: K1. P5. *K2. P5. Repeat from * to last st. K1.
Repeat 5th and 6th rows until work measures 3½ ins. from beginning.
Change to No. 11 needles *(34—No. 10 needles)* *(36—No. 11 needles)* and continue even in pattern until work measures 5½ ins. from beginning.
Change to No. 10 needles *(34—No. 9 needles)* *(36—No. 10 needles)* and continue in pattern inc. 1. st. each end of needle on next and every following 8th row to 119 sts. on needle. *(34—119 sts.)* *(36—133 sts.)*, working increased sts. in pattern.
Continue even in pattern until work measures 13½ ins. from beginning.

To shape armholes: Keeping continuity of pattern cast off 7 sts. *(34—7 sts.)* *(36—8 sts.)* beginning next 2 rows, then dec. 1. st. each end of needle on next and every alternate row to 93 sts. on needle. *(34—93 sts.)* *(36—99 sts.)*.
Continue even in pattern until armhole from first shaping measures 7 ins. *(34—7 ins.)* *(36—7½ ins.)*.

To shape shoulders: Keeping continuity of pattern cast off 10 sts. *(34—10 sts.)* *(36—11 sts.)* beginning next 6 rows. Cast off remaining sts.

LEFT FRONT: With No. 10 needles cast on 51 sts.
(34—With No. 9 needles cast on 51 sts.)
(36—With No. 10 needles cast on 59 sts.).
1st row: K2. *P1. K1. Repeat from * to last st. K1.
2nd row: K1. *P1. K1. Repeat from * to end of row.
Repeat these 2 rows once, inc. 1. st. at end of last row for sizes 32 and 34. 52 sts. on needle. *(34—52 sts.)* *(36—59 sts.)*.
****5th row:** (side edge). K6. *P2. K5. Repeat from * to last 18 sts. P2. K16. (Front edge).
6th row: K1. P6. K2. P6. K3. *P5. K2. Repeat from * to last 6 sts. P5. K1.
Repeat 5th and 6th rows once.
9th row: K6. *P2. K5. Repeat from * to last 18 sts. P2. K1. Slip next 3 sts. onto the spare needle, letting this needle fall to **front** of work. Knit next 3 sts. Take the 3 sts. back and knit them. The working of 6 sts. in this manner will be termed "Twist" throughout. K2. Twist. K1.
10th row: As 6th row.
Repeat 5th and 6th rows once.** Repeat from ** to ** until work measures 3½ ins. from beginning. *(Continued on page 25)*

SIZES 38, 40 and 42

The instructions are written for size 38. Sizes 40 and 42 are written in brackets thus:—( ).

BACK: With No. 9 needles cast on 119 sts.
(40—With No. 10 needles cast on 133 sts.).
(42—With No. 9 needles cast on 133 sts.).
1st row: K2. *P1. K1. Repeat from * to last st. K1.
2nd row: K1. *P1. K1. Repeat from * to end of row.
Repeat these 2 rows once.
5th row: K6. *P2. K5. Repeat from * to last st. K1.
6th row: K1. P5. *K2. P5. Repeat from * to last st. K1.
Repeat 5th and 6th rows until work measures 3½ ins. from beginning.
Change to No. 10 needles *(40—No. 11 needles)* *(42—No. 10 needles)* and continue even in pattern until work measures 5½ ins. from beginning.
Change to No. 9 needles *(40—No. 10 needles)* *(42—No. 9 needles)* and continue in pattern inc. 1. st. each end of needle on next and every following 8th row to 133 sts. on needle. *(40—147 sts.)* *(42—147 sts.)* working increased sts. in pattern.
Continue even in pattern until work measures 13½ ins. from beginning.

To shape armholes: Keeping continuity of pattern cast off 4 sts. *(40—5 sts.)* *(42—5 sts.)* beginning next 4 rows, then dec. 1. st. each end of needle on next and every alternate row to 99 sts. on needle. *(40—105 sts.)* *(42—105 sts.)*.
Continue even in pattern until armhole from first shaping measures 7½ ins. *(40—8 ins.)* *(42—8 ins.)*.

To shape shoulders: Keeping continuity of pattern cast off 11 sts. beginning next 6 rows.
(40—Cast off 12 sts. beginning next 2 rows, then 11 sts. beginning following 4 rows) *(42 as 40)*.
Cast off remaining sts.

LEFT FRONT: With No. 9 needles cast on 59 sts.
(40—With No. 10 needles cast on 65 sts.)
(42—With No. 9 needles cast on 65 sts.).
1st row: K2. *P1. K1. Repeat from * to last st. K1.
2nd row: K1. *P1. K1. Repeat from * to end of row.
Repeat these 2 rows once, inc. 1. st. at end of last row for sizes 40 and 42. 59 sts. on needle. *(40—66 sts.)* *(42—66 sts.)*.
****5th row:** (side edge). K6. *P2. K5. Repeat from * to last 18 sts. P2. K16. (Front edge).
6th row: K1. P6. K2. P6. K3. *P5. K2. Repeat from * to last 6 sts. P5. K1.
Repeat 5th and 6th rows once.
9th row: K6. *P2. K5. Repeat from * to last 18 sts. P2. K1. Slip next 3 sts. onto the spare needle, letting this needle fall to **front** of work. Knit next 3 sts. Take the 3 sts. back and knit them. The working of 6 sts. in this manner will be termed "Twist" throughout. K2. Twist. K1.
10th row: As 6th row.
Repeat 5th and 6th rows once.** Repeat from ** to ** until work measures 3½ ins. from beginning. *(Continued on page 25)*

THE CARDIGANS (continued from page 24)

Sizes 38, 40 and 42

Change to No. 10 needles (*40—No. 11 needles*) (*42—No. 10 needles*) and continue even in pattern until work measures 5½ ins. from beginning.
Change to No. 9 needles (*40—No. 10 needles*) (*42—No. 9 needles*) and continue in pattern inc. 1. st. at side edge on next and every following 8th row to 66 sts. on needle. (*40—73 sts.*) (*42—73 sts.*), working increased sts. in pattern.
Continue even in pattern until work measures 14 ins. from beginning. With right side of work facing, proceed:—

To shape armhole and neck: 1st row: Cast off 4 sts. (*40—5 sts.*) (*42—5 sts.*). Work in pattern to last 18 sts. Sl.1. K1. p.s.s.o. (for neck decreasing). Work in pattern to end of row.
2nd and 4th rows: Work even in pattern.
3rd row: Cast off 4 sts. (*40—5 sts.*) (*42—5 sts.*). Work in pattern to end of row.
Keeping continuity of pattern, dec. 1. st. at armhole edge on next and every alternate row, at same time dec. 1. st. inside the 16 st. cable border at Front edge on next and every following 4th row to 43 sts. on needle. (*40—45 sts.*) (*42—45 sts.*).
Keeping armhole edge even, continue dec. 1. st. inside border at Front edge every 4th row to 33 sts. on needle. (*40—34 sts.*) (*42—34 sts.*).
Continue even in pattern until armhole from first shaping measures 7½ ins. (*40—8 ins.*) (*42—8 ins.*).

To shape shoulder: Keeping continuity of pattern, at armhole edge cast off 11 sts. every alternate row 3 times.
(*40—Cast off 12 sts. every alternate row once, 11 sts. twice*) (*42 as 40*).

RIGHT FRONT: With No. 9 needles cast on 59 sts.
(*40—With No. 10 needles cast on 65 sts.*)
(*42—With No. 9 needles cast on 65 sts.*).
Work 4 rows ribbing (K1. P1) as given for Left Front, inc. 1. st. at beginning of last row to sizes 40 and 42. 59 sts. on needle. (*40—66 sts.*) (*42—66 sts.*).
****5th row:** K16. *P2. K5. Repeat from * to last st. K1.
6th row: K1. *P5. K2. Repeat from * to last 16 sts. K1. P6. K2. P6. K1.
Repeat 5th and 6th rows once.
9th row: K1. Twist. K2. Twist. K1. *P2. K5. Repeat from * to last st. K1.
10th row: As 6th row.
Repeat 5th and 6th rows once.**
Working pattern from ** to ** continue to correspond to Left Front until work measures 14 ins. from beginning. With right side of work facing, proceed:—
To shape neck and armhole: 1st row: Work 16 sts. in pattern. K2tog. Work in pattern to end of row.
2nd row: Cast off 4 sts. (*40—5 sts.*) (*42—5 sts.*). Work in pattern to end of row.
Continue to correspond to Left Front being careful to have all shapings for opposite side.

SLEEVES: With No. 12 needles (*all sizes*) cast on 56 sts. (*40—62 sts.*) (*42—62 sts.*).
Work 3 ins. ribbing (K1. P1) increasing across last row to 63 sts. on needle. (*40—70 sts.*) (*42—70 sts.*).
Change to No. 9 needles (*40—No. 10 needles*) (*42—No. 9 needles*).
1st row: K6. *P2. K5. Repeat from * to last st. K1.
2nd row: K1. P5. *K2. P5. Repeat from * to last st. K1.
Repeat these 2 rows twice.
Keeping continuity of pattern inc. 1. st. each end of needle on next and every following 6th row to 93 sts. on needle. (*40—104 sts.*) (*42—98 sts.*), working increased sts. in pattern.
Continue even in pattern until sleeve measures 17 ins. from beginning, or desired length. (*all sizes*).

To shape cap: *Keeping continuity of pattern, cast off 2 sts. beginning next 2 rows, then 1. st. beginning following 2 rows.* Repeat from * to * to 21 sts. on needle. (*40—26 sts.*) (*42—20 sts.*). Cast off remaining sts.

FRONT BAND: With No. 12 needles cast on 11 sts. (*all sizes*).
1st row: K2. (P1. K1) 4 times. K1.
2nd row: K1. (P1. K1) 5 times.
Repeat 1st. and 2nd rows twice.

(Continued on page 29)

Sizes 32, 34 and 36

Change to No. 11 needles (*34—No. 10 needles*) (*36—No. 11 needles*) and continue even in pattern until work measures 5½ ins. from beginning.
Change to No. 10 needles (*34—No. 9 needles*) (*36—No. 10 needles*) and continue in pattern inc. 1. st. at side edge on next and every following 8th row to 59 sts. on needle. (*34—59 sts.*) (*36—66 sts.*), working increased sts. in pattern.
Continue even in pattern until work measures 13½ ins. from beginning. With right side of work facing, proceed:—
To shape armhole and neck: 1st row: Cast off 7 sts. (*34—7 sts.*) (*36—8 sts.*). Work in pattern to last 18 sts. Sl.1. K1. p.s.s.o. (for neck decreasing). Work in pattern to end of row.
Keeping continuity of pattern, dec. 1. st. at armhole edge every alternate row, at same time dec. 1. st. inside the 16 st. cable border at Front edge every 4th row to 42 sts. on needle. (*34—42 sts.*) (*36—44 sts.*).
Keeping armhole edge even, continue dec. 1. st. inside border at Front edge every 4th and 2nd rows alternately to 30 sts. on needle. (*34—30 sts.*) (*36—33 sts.*).
Continue even in pattern until armhole from first shaping measures 7 ins. (*34—7 ins.*) (*36—7½ ins.*).
To shape shoulder: Keeping continuity of pattern, at armhole edge cast off 10 sts. (*34—10 sts.*) (*36—11 sts.*) every alternate row 3 times.

RIGHT FRONT: With No. 10 needles cast on 51 sts.
(*34—With No. 9 needles cast on 51 sts.*)
(*36—With No. 10 needles cast on 59 sts.*).
Work 4 rows ribbing (K1. P1) as given for Left Front, inc. 1. st at beginning of last row for sizes 32 and 34. 52 sts. on needle. (*34—52 sts.*) (*36—59 sts.*).
****5th row:** K16. *P2. K5. Repeat from * to last st. K1.
6th row: K1. *P5. K2. Repeat from * to last 16 sts. K1. P6. K2. P6. K1.
Repeat 5th and 6th rows once.
9th row: K1. Twist. K2. Twist. K1. *P2. K5. Repeat from * to last st. K1.
10th row: As 6th row.
Repeat 5th and 6th rows once.**
Working pattern from ** to ** continue to correspond to Left Front until work measures 13½ ins. from beginning.
With right side of work facing, proceed:—
To shape neck and armhole: 1st row: Work 16 sts. in pattern. K2tog. Work in pattern to end of row.
2nd row: Cast off 7 sts. (*34—7 sts.*) (*36—8 sts.*). Work in pattern to end of row.
Continue to correspond to Left Front being careful to have all shapings for opposite side.

SLEEVES: With No. 12 needles (*all sizes*) cast on 50 sts. (*34—50 sts.*) (*36—56 sts.*).
Work 3 ins. ribbing (K1. P1) increasing across last row to 56 sts. on needle. (*34—56 sts.*) (*36—63 sts.*).
Change to No. 10 needles. (*34—No. 9 needles*) (*36—No. 10 needles*).
1st row: K6. *P2. K5. Repeat from * to last st. K1.
2nd row: K1. P5. *K2. P5. Repeat from * to last st. K1.
Repeat these 2 rows twice.
Keeping continuity of pattern inc. 1. st. each end of needle on next and every following 6th row to 92 sts. on needle. (*34—86 sts.*) (*36—99 sts.*), working increased sts. in pattern.
Continue even in pattern until sleeve measures 17 ins. from beginning, or desired length. (*all sizes*).
To shape cap: *Keeping continuity of pattern, cast off 2 sts. beginning next 2 rows, then 1. st. beginning following 2 rows.* Repeat from * to * to 20 sts. on needle. (*34—20 sts.*) (*36—21 sts.*). Cast off remaining sts.

FRONT BAND: With No. 12 needles cast on 11 sts. (*all sizes*).
1st row: K2. (P1. K1) 4 times. K1.
2nd row: K1. (P1. K1) 5 times.
Repeat 1st. and 2nd rows twice.
****7th row:** K2. P1. K1. Cast off 3 sts. K1. P1. K2.
8th row: (K1. P1) twice. Cast on 3 sts. (P1. K1) twice.
Repeat 1st. and 2nd rows 8 times.** Repeat from ** to ** 7 times. (8 buttonholes).
Continue even in ribbing until band will fit along each front edge and back of neck. Cast off in ribbing.
TO MAKE UP: Press pieces carefully. Sew all seams. Sew in sleeves. Sew Front Band in position being careful to have end with buttonholes on Right Front. Sew buttons to correspond to buttonholes.

The Twin Sets

with simple ribbing and cable trim *(Shown opposite)*

THE PULLOVERS

Instructions for Cardigans, see page 24

THE PULLOVER—see below
3 ply BEEHIVE FINGERING, PATONISED.
or
3 ply DIANA, PATONISED.
or
3 ply MISS CANADA SUPERIOR FINGERING.
For Quantity required, see below.
For Washing Instructions—see page 33.

Two No. 12 and two No. 10 Queen Bee Knitting Needles.

One spare needle (with points at both ends). One 6-inch "Zipper" Fastener.

Tension: 8 sts. and 10 rows = 1 inch with No. 10 needles.

Check tension—see page 33.

MEASUREMENTS AND QUANTITY OF WOOL REQUIRED

Measurements	Bust:	32 ins.	34 ins.	36 ins.	38 ins.	40 ins.	42 ins.
Length from top of shoulder		19½ "	19½ "	20 "	20 "	20½ "	20½ "
Length of sleeve underarm seam		5 "	5 "	5 "	5 "	5 "	5 "
3 ply Beehive Fingering Patonised, quantity required:		6 ozs.	6 ozs.	7 ozs.	7 ozs.	8 ozs.	8 ozs.

3 ply Diana, Patonised or 3 ply Miss Canada Superior Fingering allow 1 oz. extra for all sizes.

SIZES 32, 34 and 36

The instructions are written for size 32. Sizes 34 and 36 are written in brackets thus:—( ).

FRONT: With No. 12 needles cast on 104 sts. *(34—112 sts.) (36—118 sts.).*
Work 3½ ins. ribbing (K1. P1) inc. 1. st. at end of last row for sizes 32 and 36. 105 sts. on needle. *(34—112 sts.) (36—119 sts.).*
Change to No. 10 needles and proceed:—
1st row: K6. *P2. K5. Repeat from * to last st. K1.
2nd row: K1. P5. *K2. P5. Repeat from * to last st. K1.
Repeat these 2 rows 3 times.
Keeping continuity of pattern inc. 1. st. each end of needle on next and every following 8th row to 123 sts. on needle. *(34—130 sts.) (36—137 sts.),* working increased sts. in pattern.
Continue even in pattern until work measures 12½ ins. from beginning. *(all sizes).*

To shape armholes: Keeping continuity of pattern cast off 6 sts. *(34—7 sts.) (36—8 sts.)* beginning next 2 rows, then dec. 1. st. each end of needle on next and every alternate row to 97 sts. on needle. *(34—100 sts.) (36—105 sts.).*
Continue even in pattern until armhole from first shaping measures 5 ins. *(34—5 ins.) (36—5½ ins.).*

To shape neck: Work 37 sts. in pattern. Cast off 23 sts. Work 37 sts. in pattern.
(34—Work 38 sts. in pattern. Cast off 24 sts. Work 38 sts. in pattern)
(36—Work 40 sts. in pattern. Cast off 25 sts. Work 40 sts. in pattern).
Working on last 37 sts. *(34—38 sts.) (36—40 sts.)* and keeping continuity of pattern, dec. 1. st. at neck edge on next and every alternate row to 32 sts. on needle. *(34—32 sts.) (36—34 sts.).*
Continue even in pattern until armhole from first shaping measures 7 ins. *(34—7 ins.) (36—7½ ins.).*

To shape shoulder: Keeping continuity of pattern, at armhole edge cast off 8 sts. every alternate row 4 times. *(34 as 32).*
(36—Cast off 9 sts. every alternate row twice, 8 sts. twice).
Join wool at neck edge to remaining 37 sts. *(34—38 sts.) (36—40 sts.).* and continue to correspond to other side.

BACK: With No. 12 needles cast on 104 sts. *(34—112 sts.) (36—118 sts.)* and work exactly as given for Front to 97 sts. on needle. *(34—100 sts.) (36—105 sts.).*
Continue even in pattern until armhole from first shaping measures 3 ins. *(34—3 ins.) (36—3½ ins.).*

To make opening for "Zipper" fastener: Work 48 sts. *(34—49 sts.) (36—52 sts.)* in pattern. Cast off 1. st. *(34—2 sts.) (36—1. st.).* Work in pattern to end of row.
Working on last 48 sts. *(34—49 sts.) (36—52 sts.)* continue even in pattern until armhole from first shaping measures 7 ins. *(34—7 ins.) (36—7½ ins.).*
Shape shoulder as given for Front. Cast off remaining sts.

(Continued on page 29)

SIZES 38, 40 and 42

The instructions are written for size 38. Sizes 40 and 42 are written in brackets thus:—( ).

FRONT: With No. 12 needles cast on 126 sts. *(40—132 sts.) (42—140 sts.).*
Work 3½ ins. ribbing (K1. P1) inc. 1. st. at end of last row for size 40. 126 sts. on needle. *(40—133 sts.) (42—140 sts.).*
Change to No. 10 needles and proceed:—
1st row: K6. *P2. K5. Repeat from * to last st. K1.
2nd row: K1. P5. *K2. P5. Repeat from * to last st. K1.
Repeat these 2 rows 3 times.
Keeping continuity of pattern inc. 1. st. each end of needle on next and every following 8th row to 146 sts. on needle. *(40—153 sts.) (42—160 sts.),* working increased sts. in pattern.
Continue even in pattern until work measures 13 ins. from beginning. *(all sizes).*

To shape armholes: Keeping continuity of pattern cast off 4 sts. *(40—5 sts.) (42—6 sts.)* beginning next 4 rows, then dec. 1. st. each end of needle on next and every alternate row to 108 sts. on needle. *(40—111 sts.) (42—112 sts.).*
Continue even in pattern until armhole measures 5½ ins. from first shaping. *(all sizes).*

To shape neck: Work 41 sts. in pattern. Cast off 26 sts. Work 41 sts. in pattern.
(40—Work 42 sts. in pattern. Cast off 27 sts. Work 42 sts. in pattern)
(42—Work 42 sts. in pattern. Cast off 28 sts. Work 42 sts. in pattern).
Working on last 41 sts. *(40—42 sts.) (42—42 sts.)* and keeping continuity of pattern, dec. 1. st. at neck edge on next and every alternate row to 34 sts. on needle. *(40—36 sts.) (42—36 sts.).*
Continue even in pattern until armhole from first shaping measures 7½ ins. *(40—8 ins.) (42—8 ins.).*

To shape shoulder: Keeping continuity of pattern, at armhole edge cast off 9 sts. every alternate row twice, 8 sts. twice.
(40—Cast off 9 sts. every alternate row 4 times) (42 as 40).

Join wool at neck edge to remaining 41 sts. *(40—42 sts.) (42—42 sts.).* and continue to correspond to other side.

BACK: With No. 12 needles cast on 126 sts. *(40—132 sts.) (42—140 sts.)* and working length to armholes 12½ ins. instead of 13 ins. work exactly as given for Front to 108 sts. on needle. *(40—111 sts.) (42—112 sts.).*
Continue even in pattern until armhole from first shaping measures 3½ ins. *(40—4 ins.) (42—4 ins.).*

To make opening for "Zipper" fastener: Work 53 sts. *(40—55 sts.) (42—55 sts.)* in pattern. Cast off 2 sts. *(40—1. st.) (42—2 sts.).* Work in pattern to end of row.
Working on last 53 sts. *(40—55 sts.) (42—55 sts.)* continue even in pattern until armhole from first shaping measures 7½ ins. *(40—8 ins.) (42—8 ins.).*
Shape shoulder as given for Front. Cast off remaining sts.

(Continued on page 29)

In the Beehive Tradition

and a choice of 6 sizes

Jacket and Hat

borrowed from granny's afghan

a choice of 6 sizes

MATERIALS:

4 ply MISS CANADA SUPERIOR FINGERING. 5 ozs. Dark Green No. 449 (B). ***(36-38—6 ozs.)*** ***(40-42—7 ozs.)***. 1 oz. extra for Hat. Approx. 3¼ ozs. oddments of various colours. One No. 0 Steel Crochet Hook (American Gauge).

MEASUREMENTS: Size	32-34	36-38	40-42
Width all round at underarm	35 ins.	37½ ins.	41½ ins.
Length from top of shoulder	21 "	22½ "	24¾ "

For Washing Instructions—see page 33.

The jacket is made of 56 blocks in a variety of colours and can be made with odds and ends of wool. The hat is made of 12 blocks.

THE JACKET

TO MAKE A BLOCK FOR ALL SIZES: With 1st. colour Ch. 5. Join with s.s. to form ring.

1st round: Ch. 4. (This takes the place of 1.d.c.). 2 d.c. in ring. *Ch. 1. 3 d.c. in ring. Repeat from * twice. Ch. 1. Join with s.s. Break wool.

2nd round: With 2nd colour Ch. 4 and working over the ends of wool to fasten, (2 d.c. Ch. 2. 3 d.c.) all in space made by last Ch.1 of previous round. *Ch. 1. (3 d.c. Ch. 2. 3 d.c.) all in next space made by Ch. 1 of previous round. Repeat from * to end of round. Ch. 1. Join with s.s. (4 groups in round). Break wool.

3rd round: With 3rd colour Ch. 4. 2 d.c. in Ch. 1 space immediately below. *Ch. 1. (3 d.c. Ch. 2. 3 d.c.) all in next Ch. 1 space of previous round. (corner space). Ch. 1. 3 d.c. in next space. Repeat from * twice. Ch. 1. (3 d.c. Ch. 2. 3 d.c.) in corner space. Ch. 1. Join with s.s. Break wool.

4th round: With 4th colour Ch. 4. 2 d.c. in Ch. 1 space immediately below. Ch. 1. 3 d.c. in next space. *Ch. 1. (3 d.c. Ch. 2. 3 d.c.) all in corner space. Ch. 1. 3 d.c. in next 2 spaces. Repeat from * twice. Ch. 1. (3 d.c. Ch. 2. 3 d.c.) all in corner space. Ch. 1. Join with s.s. Break wool.

5th round: With (B) wool, Ch. 4. 2 d.c. in space immediately below. Ch. 1. 3 d.c. in next 2 spaces. *Ch. 1. (3 d.c. Ch. 2. 3 d.c.) all in corner space. Ch. 1. 3 d.c. in next 3 spaces. Repeat from * twice. Ch. 1. (3 d.c. Ch. 2. 3 d.c.) all in corner space. Ch. 1. Join with s.s.

Size 32-34: This completes 1 Block for this size and it should measure 3½ ins. square. Fasten off.

Size 36-38: 6th round: With (B) wool, work around in s.c. working 1. s.c. in each d.c. of previous round and 1.s.c. in each Ch. 1. space and 2 s.c. in each Ch. 2 space. Join with s.s.

This completes 1 Block for this size and it should measure 3¾ ins. square. Fasten off.

Size 40-42: 6th round: As 5th round, having 4 groups of 3 d.c. along each side instead of 3 groups. This completes 1 Block for this size and it should measure 4¼ ins. square. Fasten off.

(Continued on page 29)

THE PULLOVERS *(Continued from page 26)*

Sizes 32, 34 and 36

Join wool to remaining 48 sts. *(34—49 sts.)* *(36—52 sts.)* and work other side to correspond.

SLEEVES: **(Sizes 32 and 34 are written exactly the same).** With No. 10 needles cast on 77 sts. *(36—84 sts.)*.
1st row: K6. *P2. K5. Repeat from * to last st. K1.
2nd row: K1. P5. *K2. P5. Repeat from * to last st. K1.
Repeat these 2 rows once.
Keeping continuity of pattern inc. 1. st. each end of needle on next and every following 4th row to 91 sts. on needle. *(36—98 sts.)*, working increased sts. in pattern.
Continue even in pattern until sleeve measures 4 ins. from beginning. *(all sizes)*.

To shape cap: *Keeping continuity of pattern cast off 2 sts. beginning next 2 rows, then 1. st. beginning following 2 rows.* Repeat from * to * to 25 sts. on needle. *(36—26 sts.)*. Cast off remaining sts.

CABLE TRIMMING FOR SLEEVES AND NECK: With No. 12 needles cast on 10 sts. *(all sizes)*.
1st row: Knit.
2nd row: K2. P6. K2. Repeat 1st. and 2nd rows twice.
7th row: K2. Slip next 3 sts. onto the spare needle, letting this needle fall to **front** of work. Knit next 3 sts. Take the 3 sts. back and knit them. K2.
8th row: K2. P6. K2. These 8 rows complete one pattern.
Repeat pattern 13 times. *(34—13 times)* *(36—14 times)* for each sleeve, then repeat 1st. and 2nd rows twice. Cast off.
For neck, work 19 complete patterns *(34—19 patterns)* *(36—20 patterns)* then repeat 1st. and 2nd rows twice. Cast off.

TO MAKE UP: Press pieces carefully. Sew all seams. Sew in sleeves. Sew cable trimming around sleeves and neck as illustrated. Sew in "Zipper" fastener.

Sizes 38, 40 and 42

Join wool to remaining 53 sts. *(40—55 sts.)* *(42—55 sts.)* and work other side to correspond.

SLEEVES: **(Sizes 40 and 42 are written exactly the same).** With No. 10 needles cast on 84 sts. *(40—91 sts.)*.
1st row: K6. *P2. K5. Repeat from * to last st. K1.
2nd row: K1. P5. *K2. P5. Repeat from * to last st. K1.
Repeat these 2 rows once.
Keeping continuity of pattern inc. 1. st. each end of needle on next and every following 4th row to 98 sts. on needle. *(40—105 sts.)*, working increased sts. in pattern. Continue even in pattern until sleeve measures 4 ins. from beginning. *(all sizes)*.

To shape cap: *Keeping continuity of pattern cast off 2 sts. beginning next 2 rows, then 1. st. beginning following 2 rows.* Repeat from * to * to 26 sts. on needle. *(40—27 sts.)*. Cast off remaining sts.

CABLE TRIMMING FOR SLEEVES AND NECK: With No. 12 needles cast on 10 sts. *(all sizes)*.
1st row: Knit.
2nd row: K2. P6. K2. Repeat 1st. and 2nd rows twice.
7th row: K2. Slip next 3 sts. onto the spare needle, letting this needle fall to **front** of work. Knit next 3 sts. Take the 3 sts. back and knit them. K2.
8th row: K2. P6. K2. These 8 rows complete one pattern.
Repeat pattern 14 times. *(40—15 times)* *(42—15 times)* for each sleeve, then repeat 1st. and 2nd rows twice. Cast off.
For neck, work 20 complete patterns *(40—21 patterns)* *(42—21 patterns)* then repeat 1st. and 2nd rows twice. Cast off.

TO MAKE UP: Easing in the extra length allowed for Front 2 ins. below armholes when sewing side seams, make up as given for sizes 32-36, see left column.

LACEY DESIGN BLOUSE *(Continued from page 10)*

PICOT EDGE FOR BACK OF NECK: With right side of work facing and No. 13 needles pick up and knit 44 sts. *(34—46 sts.)* *(36—48 sts.)* around neck. Repeat from ** to ** as given for Front of neck.

PICOT EDGE FOR SLEEVE EDGES: Sew shoulder seams to within 3 ins. of neck edge. With right side of work facing and No. 13 needles pick up and knit 124 sts. *(34—128 sts.)* *(36—132 sts.)* along sleeve edge between the two coloured threads. Repeat from ** to ** as given for Front of neck.

TO MAKE UP: Press pieces carefully. Sew side seams. Turn under the picot edges to wrong side and sew the cast-off edge along the picked-up row. Along back of each shoulder work 1 row d.c. and along front, 1 row s.c. Sew three press fasteners to close each shoulder.

JACKET *(Continued from page 28)*

TO MAKE UP: Sew Blocks together with (B) wool, 10 across and 4 long. This completes the body of jacket to underarms. For width across back of shoulders, sew 8 Blocks in position, 4 across and 2 long on the centre 4 of the body. Miss 1 Block of the body at each side for underarms and for each remaining front section, sew 4 Blocks in position 2 across and 2 long. Press work. Sew up shoulder seams to desired width. Tack front corners back as illustrated.

THE HAT

Make 12 blocks as given for Jacket size 32-34. Sew 4 blocks together with (B) wool, to make a square 2 x 2. Make another piece to correspond. Sew remaining 4 blocks to make a strip 1 x 4. Sew this strip along two adjoining sides of each square. Tack corners back as illustrated.

BATWING SLEEVE BLOUSE *(Continued from page 19)*

To make back opening: 1st row: Cast off 36 sts. *(all sizes.)* Knit to end of row.
2nd row: K1. Purl to end of row. Cast on 36 sts. *(all sizes)*.
Work 18 rows *(34—18 rows)* *(36—20 rows)* even in Stocking st. ending with purl row.
Cast on 2 sts. *(all sizes)*. This completes neck shaping. 124 sts. on needle. *(34—125 sts.)* *(36—126 sts.)*.
Work from *** to *** as given for Front.

COLLAR: Sew top and shoulder edges. With right side of work facing, join wool at neck edge of back opening and with No. 10 needles pick up and knit 82 sts. *(34—84 sts.)* *(36—86 sts.)* around entire neck.
Beginning with purl row, work 1½ ins. even in Stocking st. ending with purl row. Cast off.

CUFFS: With right side of work facing and No. 10 needles pick up and knit 60 sts. along cuff edge.
Next row: K1. P3. *P2tog. P8. Repeat from * to last 6 sts. P2tog. P3. K1. (54 sts. on needle).
Beginning with knit row, work 1½ ins. even in Stocking st. ending with purl row. Cast off.

TO MAKE UP: Press Front and Back pieces carefully. Do not press cuffs or collar. Sew underarm edges together for 17 ins. measured from the cast-on edge of cuff edges. Sew the cast-off edge of waistband to remaining centre portion of each piece. Sew side seams of waistband. Roll the collar and cuffs to right side of work and tack lightly in position. Sew "Zipper" fastener in back opening.

CARDIGAN *(Continued from page 25)*

****7th row:** K2. P1. K1. Cast off 3 sts. K1. P1. K2.
8th row: (K1. P1) twice. Cast on 3 sts. (P1. K1) twice.
Repeat 1st. and 2nd rows 9 times.** Repeat from ** to ** 7 times. (8 buttonholes).
Continue even in ribbing until band will fit along each front edge and back of neck. Cast off in ribbing.

TO MAKE UP: Easing in the extra length allowed for each Front 2 ins. below armholes when sewing side seams, make up as given for sizes 32-36, see page 25.

For Play or Leisure Hours

box coats with side vents *(Shown opposite)*

MEASUREMENTS AND MATERIALS REQUIRED

Measurements **Bust**	**32 ins.**	**34 ins.**	**36 ins.**	**38 ins.**	**40 ins.**	**42 ins.**
Length from top of shoulder	23½ "	23½ "	24 "	24 "	24½ "	24½ "
Width across back	18 "	19 "	20 "	21 "	22 "	23 "
Width across each front	10½ "	11 "	11½ "	12 "	12½ "	13 "
Length of sleeve underarm seam	16 "	16 "	16 "	16 "	16 "	16 "
Materials						
BEEHIVE CARESSA, quantity required:	22 ozs.	22 ozs.	24 ozs.	24 ozs.	24 ozs.	26 ozs.

Two No. 5 Beehive Knitting Needles. One Crochet Hook. 4 Buttons. ½ yd. Grosgrain Ribbon ½ inch wide. One pair Shoulder Pads.

Tension: 4½ sts. and 6 rows = 1 inch.
Check tension—see page 33.

For Washing Instructions—see page 33.

SIZES 32, 34 and 36

The instructions are written for size 32. Sizes 34 and 36 are written in brackets thus:—( ).

PATTERN: **1st and 2nd rows:** K2. *P1. K1. Repeat from * to end of row.
3rd and 4th rows: *K1. P1. Repeat from * to last 2 sts. K2.
These 4 rows complete one pattern.

BACK: Cast on 76 sts. *(34—80 sts.)* *(36—84 sts.)*.
Continue even in pattern until work measures approx. 16 ins. from beginning ending with 4th pattern row. *(all sizes)*.

To shape armholes: Keeping continuity of pattern cast off 3 sts. *(34—3 sts.)* *(36—4 sts.)* beginning next 2 rows, then dec. 1. st. each end of needle on next and every alternate row to 62 sts. on needle. *(34—64 sts.)* *(36—66 sts.)*.
Continue even in pattern until armhole from first shaping measures 7½ ins. *(34—7½ ins.)* *(36—8 ins.)* ending with 2nd or 4th pattern rows.

To shape shoulders: Cast off 10 sts. *(all sizes)* beginning next 2 rows, then 10 sts. *(34—10 sts.)* *(36—11 sts.)* beginning following 2 rows. Break wool. Leave remaining sts. on spare needle.

LEFT FRONT: Cast on 46 sts. *(34—48 sts.)* *(36—50 sts.)*.
Work exactly as given for Back to armhole shaping ending with 4th pattern row.

To shape armhole: Keeping continuity of pattern cast off 5 sts. *(34—5 sts.)* *(36—6 sts.)* beginning next row for armhole, then dec. 1. st. at armhole edge every alternate row to 37 sts. on needle. *(34—38 sts.)* *(36—39 sts.)*.
Continue even in pattern until armhole from first shaping measures same as Back to shoulder ending with same pattern row. (that is, the 2nd or 4th pattern rows).

To shape shoulder: 1st row: Cast off 10 sts. *(all sizes)*. Work in pattern to end of row.
2nd row: Work even in pattern.
3rd row: Cast off 10 sts. *(34—10 sts.)* *(36—11 sts.)*. Work in pattern to end of row.
4th row: Work even in pattern. Break wool. Leave remaining sts. on spare needle.

RIGHT FRONT: Cast on 46 sts. *(34—48 sts.)* *(36—50 sts.)*.
Work 5½ ins. even in pattern ending with 2nd or 4th pattern rows.
Next row: (1st. buttonhole). Work 4 sts. in pattern Cast off 2 sts. Work in pattern to end of row.
Next row: Work in pattern to last 4 sts. Cast on 2 sts. Work remaining 4 sts. in pattern.
Working 2 more buttonholes 4 ins. apart, continue even in pattern until work measures same as Left Front to armhole shaping ending with 4th pattern row. Work 1 row even in pattern. (side edge).
Working 4th buttonhole 4 ins. above 3rd, shape armhole as given for Left Front, then continue even in pattern until armhole from first shaping measures same as Back to shoulder ending with 2nd or 4th pattern rows as before. Work 1 row even. (armhole edge).
Shape shoulder as given for Left Front. **Do not break wool.**

(Continued on page 32)

SIZES 38, 40 and 42

The instructions are written for size 38. Sizes 40 and 42 are written in brackets thus:—( ).

PATTERN: **1st and 2nd rows:** K2. *P1. K1. Repeat from * to end of row.
3rd and 4th rows: *K1. P1. Repeat from * to last 2 sts. K2.
These 4 rows complete one pattern.

BACK: Cast on 88 sts. *(40—92 sts.)* *(42—96 sts.)*.
Continue even in pattern until work measures approx. 16 ins. from beginning ending with 4th pattern row. *(all sizes)*.

To shape armholes: Keeping continuity of pattern cast off 4 sts. *(40—6 sts.)* *(42—6 sts.)* beginning next 2 rows, then dec. 1. st. each end of needle on next and every alternate row to 68 sts. on needle. *(40—68 sts.)* *(42—70 sts.)*.
Continue even in pattern until armhole from first shaping measures 8 ins. *(40—8½ ins.)* *(42—8½ ins.)* ending with 2nd or 4th pattern rows.

To shape shoulders: Cast off 11 sts. *(all sizes)* beginning next 2 rows, then 10 sts. *(40—10 sts.)* *(42—11 sts.)* beginning following 2 rows. Break wool. Leave remaining sts. on spare needle.

LEFT FRONT: Cast on 52 sts. *(40—54 sts.)* *(42—56 sts.)*.
Work exactly as given for Back to armhole shaping ending with 4th pattern row, then work 1 more complete pattern.

To shape armhole: Keeping continuity of pattern cast off 6 sts. *(40—8 sts.)* *(42—8 sts.)* beginning next row for armhole, then dec. 1. st. at armhole edge every alternate row to 40 sts. on needle. *(40—40 sts.)* *(42—41 sts.)*.
Continue even in pattern until armhole from first shaping measures same as Back to shoulder ending with same pattern row. (that is, the 2nd or 4th pattern rows).

To shape shoulder: 1st row: Cast off 11 sts. *(all sizes)*. Work in pattern to end of row.
2nd row: Work even in pattern.
3rd row: Cast off 10 sts. *(40—10 sts.)* *(42—11 sts.)*. Work in pattern to end of row.
4th row: Work even in pattern. Break wool. Leave remaining sts. on spare needle.

RIGHT FRONT: Cast on 52 sts. *(40—54 sts.)* *(42—56 sts.)*.
Work 6 ins. even in pattern ending with 2nd or 4th pattern rows.
Next row: (1st. buttonhole). Work 4 sts. in pattern. Cast off 2 sts. Work in pattern to end of row.
Next row: Work in pattern to last 4 sts. Cast on 2 sts. Work remaining 4 sts. in pattern.
Working 2 more buttonholes 4 ins. apart, continue even in pattern until work measures same as Left Front to armhole shaping ending with 4th pattern row. Work 1 row even in pattern. (side edge).
Working 4th buttonhole 4 ins. above 3rd, shape armhole as given for Left Front, then continue even in pattern until armhole from first shaping measures same as Back to shoulder ending with 2nd or 4th pattern rows as before. Work 1 row even. (armhole edge).
Shape shoulder as given for Left Front. **Do not break wool.**

(Continued on page 32)

The Softness of Caressa

and a choice of 6 sizes

COAT—38-42 *(Continued from page 30)*

COLLAR: Holding the needle with the sts. of Right Front in right hand, onto it work in pattern the sts. of spare needle for Back, then the sts. of spare needle for Left Front. The beginning and end of row are the front edges of the coat. Work 12 rows even in pattern. Cast off **loosely** in pattern.

SLEEVES: **(Sizes 40 and 42 are written exactly the same).** Cast on 64 sts. ***(40—66 sts.).***
Continue even in pattern until sleeve measures approx. 16 ins. from beginning, or desired length, ending with 4th pattern row. ***(all sizes).***

To shape cap: Keeping continuity of pattern cast off 4 sts. ***(40—3 sts.)*** beginning next 2 rows, then dec. 1. st. each end of needle on next and **every** following row to 42 sts. on needle. ***(40—44 sts.).***
Dec. 1. st. each end of needle every alternate row to 26 sts. on needle. ***(40—28 sts.)*** then **every** row to 10 sts. on needle. ***(all sizes).*** Cast off in pattern.

TO MAKE UP: Easing in the extra length allowed for Fronts 2 ins. below armholes when sewing side seams, make up as given for sizes 32—36, see below.

COAT—32-36 *(Continued from page 30)*

COLLAR: Holding the needle with the sts. of Right Front in right hand, onto it work in pattern the sts. of spare needle for Back, then the sts. of spare needle for Left Front. The beginning and end of row are the front edges of the coat.
Work 12 rows even in pattern. Cast off **loosely** in pattern.

SLEEVES: Cast on 58 sts. ***(34—60 sts.)*** ***(36—62 sts.).***
Continue even in pattern until sleeve measures approx. 16 ins. from beginning, or desired length, ending with 4th pattern row. ***(all sizes).***

To shape cap: Keeping continuity of pattern cast off 3 sts. ***(34—4 sts.)*** ***(36—3 sts.)*** beginning next 2 rows, then dec. 1. st. each end of needle on next and **every** following row to 40 sts. on needle. ***(34—38 sts.)*** ***(36—42 sts.).***
Dec. 1. st. each end of needle every alternate row to 24 sts. on needle. ***(34—22 sts.)*** ***(36—26 sts.)*** then **every** row to 10 sts. on needle. ***(all sizes).*** Cast off in pattern.

TO MAKE UP: Press pieces very lightly. Sew shoulder and sleeve seams. Sew side seams to within 5½ ins. of lower edge. Sew in sleeves. Work 1 row s.c. evenly around all edges, turn, then 1 row s.s. Fasten off. Press all seams and edges lightly on wrong side. Sew buttons to correspond to buttonholes. Cut ribbon desired length and sew across shoulders and back of neck. Sew in shoulder pads.



TO WORK FAIR ISLE

as worked on two needles with a knit row and a purl row. The background colour is referred to as (B). The design colour is referred to as (D).

TO KNIT A SAMPLE PIECE

Cast on 13 sts. Knit 1 row. Purl 1 row. The purled side is the wrong side of the work. Proceed:—
1st row: K1(B). With (D) knit the next st. leaving an end long enough to darn in when the work is finished. *Put (D) thread over the forefinger of the left hand and hold it taut at all times. (This position is similar to the way thread is held when crocheting.) Put the point of the right hand needle into the next (B) st. on the left hand needle and with (B) knit this st. in the ordinary manner. Drop the (B) thread. Put the point of the right hand needle into the next (B) st. With (D) knit this st. in the ordinary manner. Repeat from * to last st. K1(B). You now have a row of alternate (B) and (D) sts. (7 (B) and 6 (D).), and both threads are at the same end of your work. If you look on the wrong side of the work you will see the threads give a woven effect similar to a running st. in sewing.
2nd row: K1(B). Pull the (B) thread to the back of the work ready to purl. Pulling the (D) thread under and over the (B) thread P1(D). *After purling the st. hold the (D) thread taut over the left hand forefinger as before. Insert the point of the right hand needle into the next (B) st. purlways and with (B) purl 1. st. in the ordinary manner. Drop the (B) thread and with (D) purl the next st. in the ordinary manner. Repeat from * to last st. K1(B).
Practise these 2 rows until you can work them easily.
Next row: Showing you how to work more than one design st. K1(B). *Hold (D) taut over left hand forefinger and with (B) knit the next st. Still holding (D) taut over the left forefinger, put the point of the right hand needle through the next st. and under the (D) thread. This means the needle is resting on the left forefinger. With (B) knit the st. in the ordinary manner. You will notice this has "raised" the (D) thread over the (B) thread at the back of the work. Insert the point of the right hand needle into the next st. in the ordinary manner and with (B) knit this st. You will notice that the (B) thread weaves the (D) thread and that when the st. is knitted the (B) thread is again on top. With (D) knit 1. st. Put the (B) thread over the left hand forefinger. Insert the point of the right hand needle through next st. and under the (B) thread. With (D) knit the st. in the ordinary manner. Insert the point of the right hand needle into the next st. in the ordinary manner and with (D) knit this st. You will notice the (D) thread weaves the (B) thread. Repeat from * once.
For the purl row you follow the same principle.
When working Fair Isle on a Circular or 3 needles the purl row is disregarded.

THE WRONG SIDE OF FAIR ISLE KNITTING



TO EMBROIDER ON WOOL IN DUPLICATE STITCH

Thread a tapestry needle with wool of contrasting colour. Fasten wool on back of work. *Draw the needle through centre of stitch to front of work, then pass the needle under the 2 strands of the 2nd stitch above, as illustrated. Draw the wool through, then put the needle into the same hole of stitch as used when beginning and draw the wool through to wrong side of work, thus duplicating a stitch. Repeat from * following design on chart.

WASHING AND DRYING WOOLLEN GARMENTS

The beauty of your hand knit woollen garments can be easily retained after many washings, provided a few simple rules are followed.

Before washing, measure the garment and note measurements carefully.

Lukewarm Water and Good Suds

1. USE GOOD MILD SOAP OR SOAP FLAKES. Dissolve sufficient quantity to make good **lukewarm** suds.
2. Squeeze the suds gently through and through the garment until clean. Never rub a woollen garment. Keep the garment **supported by hands when removing from water,** because the weight of the wet garment may stretch the fabric.

Rinsing Twice to Remove All Soap

3. Rinse in clean, lukewarm water, gently squeezing to REMOVE ALL SOAP. Keep garment **supported by hands when removing from water.**
4. Rinse a second time in clean, lukewarm water making doubly sure to REMOVE ALL SOAP. Keep garment **supported by hands when removing from water.**

Remove All Moisture

5. Never let the garment lie wet, but remove all moisture at once by rolling in a clean, thick towel.

Dry Slowly on Flat Surface

6. Remove garment from towel, lay on a flat surface AWAY FROM HEAT. Pin to required measurements using rustless pins.

Wool and Silk Mixture

In case of woollen garments containing a thread of artificial silk, add a little vinegar to the second rinsing water.

Plain and Fancy Patterned Socks

Follow the same instructions. In the case of fancy patterns with various colours of wool add a little vinegar to the second rinsing water. Put on wooden stretchers. DO NOT HANG UP—dry on a flat surface.

Patonised Wools

To ensure the fullest benefit of increased wearing properties, it is recommended that these washing instructions be followed for garments knitted from PATONISED Shrink-resist yarns.

It is absolutely wrong to put woollen garments to soak: to use strong soap, soda, boiling—or even very hot—water, (or in the case of white garments especially, a dirty sud!), to let them lie in a wet state, or to hang them up to dry.

CHECK THE TENSION

The garments in this book are worked to the exact tension given. They are closely knitted to insure a firm fabric that will wear better and keep its shape longer than a loosely knitted fabric. *Check your tension.* Before beginning your garment take the wool and needles specified. Cast on 20 stitches. Work 20 rows stocking stitch. Lay work flat on a table and place a ruler across the stitches. Count the number of stitches to one inch and compare with the tension given in the instructions. All given tension in Beehive instructions is measured over stocking stitch. If your tension is too loose try a size smaller needle. If your tension is too tight try a size larger needle.

Be sure to work to exact tension given if you want your garment to work to correct size.

To Press a Finished Garment

For plain, smooth fabric: Place all knitted pieces on a thick pad wrong side out. Baste to shape and size desired being careful to keep the weave quite straight. Cover with a damp bath towel. Smooth EVENLY with a WARM iron. Remove towel and leave until dry. **For raised and fancy patterns:** Baste into position and cover with a wet towel but DO NOT PRESS. Pat gently but firmly with the hand. Remove towel and leave until dry.

Use the Yarn the Pattern Calls For

Use only Patons and Baldwins yarns, and Queen Bee Knitting Needles for any of the garments in this book.

Buy the Quantity of Yarn the Pattern Calls For

—at the time you make your initial purchase, making sure it is the one dye lot. This will prevent a disappointment later on when you might find you could not exactly match the colour.

Abbreviations

KNITTING—K = knit plain. P = purl. p.s.s.o. = pass slip stitch over. w.r.n. = wool round needle. w.o.n. = wool over needle. wl.fwd. = wool forward. tog. = together. ins. = inches. dec. = decrease. inc. = increase. t.b.l. = through back of loops.
CROCHET—Ch. = chain. s.c. = single crochet. d.c. = double crochet. h.d.c. = half double crochet. Tr. = treble. d.tr. = double treble. L.tr. = long treble. H.tr. = half treble. s.s. = slip stitch. W.O.H. = wool over hook.
The star symbol (*)—This indicates that the directions immediately following are to be repeated. When directions call for repeating a given number of times, it is understood this is in addition to the original. Thus, repeat 3 times means 4 times altogether.
To knit "even"—The row or work is knitted without increasing or decreasing.
Important: When the instructions read—Cast off 2 sts. K2. (or similar sts.) the stitch on the right hand needle after casting off, is counted as 1 stitch.

Traduction Française des Abréviations et Points Employés

K = Tricoter à l'endroit. P = Tricoter à l'envers. p.s.s.o. = Passer la maille glissée par dessus. w.r.n. = Une maille jetée à l'envers. w.o.n. = Passer la laine par-dessus l'aiguille. Wl.fwd. = Une maille jetée à l'endroit. Tog. = Ensemble. Ins. = Pouces. Dec. = Diminuer. Inc. = Augmenter. t.b.l. = Tricoter par derrière la maille.
To knit even—Tricoter sans augmenter ni diminuer.
The star symbol (*).—L'astérisque indique que les directions qui suivent doivent être répétées. Si on demande de répéter un certain nombre de fois, il est entendu que c'est en plus de l'original, tel que * répéter 3 fois veut dire 4 fois en tout.
ARMHOLE—Emmanchure. NECK EDGE—Encolure. CAST OFF—Rabattre. GARTER STITCH—Point de jarretière, tous les rangs à l'endroit. STOCKING STITCH—Point Jersey. Un rang à l'endroit. Un rang à l'envers. MOSS OR SEED STITCH—1er rang. 1 maille à l'endroit. 1 maille à l'envers. 2e rang. = 1 maille à l'envers vis-à-vis des mailles à l'endroit et 1 maille à l'endroit vis-à-vis des mailles à l'envers.
CROCHET—Ch. = Chaine. s.c. = Simple crochet. d.c. = Double crochet. h.d.c. = Demi crochet. Tr. = Triple crochet. d.tr. = Double triple. L.Tr. = Triple crochet (long). H.Tr. = Demi triple crochet. W.O.H. = Passer la laine sur le crochet.

SATURDAY NIGHT PRESS, TORONTO
PUBLISHED WITH ALL RIGHTS RESERVED BY PATONS & BALDWINS LIMITED, TORONTO 10

SHRINK-RESIST
PATONISED
FINISH
BEEHIVE
3 PLY SCOTCH FINGERING
BEEHIVE
3 PLY SCOTCH FINGERING
BEEHIVE
4 PLY SCOTCH FINGERING
They're PATONISED!
Woollies knitted from Beehive PATONISED wools come out of each wash as young and fresh as the day you finished them. The shrink resistant Patonising process gives protection throughout endless washings.

Beehive SHRINK-RESIST PATONISED FINISH SHRINK-RESIST WOOLS

***Prized because they're* PATONISED**

PATONISING is an exclusive shrink-resist process originated by Patons & Baldwins Limited. The first and finest! Constantly under expert control in the Mills of Patons & Baldwins Limited.

The advantage of PATONISING is that the natural properties of the wool fibre are protected without affecting the quality of the wool. It is the finest shrink-resist process ever developed.

A selection of standard knitting instruction books from the BEEHIVE KNITTER'S LIBRARY:

Series No. 40 . . 35c

Series No. 43 . . 30c

Series No. 51 . . 30c

Series No. 46 . . 30c

Series No. 47 . . 35c

Series No. 33 . . 30c



Series No. 42 . . 30c

Series No. 52 . . 35c

For free folder illustrating complete BEEHIVE KNITTER'S LIBRARY or in case of difficulty, write

PATONS & BALDWINS, LIMITED : TORONTO 10